Yealink CP965 IP conference phone

Gamintojas: **YEALINK** · Modelis: **CP965** · EAN: **841885107312** · Prekės kodas: **931299**



631.90€

Kaina su PVM

Be PVM: **522.23€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Android 9.0 OS
- ✓ 5'' capacitive touch screen
- ✓ Black acoustics fabric, resistant to water/oil/stain
- ✓ Optimal HD audio
- ✓ 10-way conference call
- ✓ Built-in Bluetooth/Wi-Fi
- ✓ Power over Ethernet (IEEE 802.3at), class 4
- ✓ 1 USB 2.0 Type A port, 1 x USB 2.0 Type-C port
- ✓ Supports DECT wireless expansion microphone CPW65(*pending)
- ✓ Supports Yealink Device Management Platform

Aprašymas

13-MICROPHONE ARRAY

Game-changing Audio Presence,
Immersive Conversation Environment.
Inside the stunning appearance, a set of powerful technology and professional components are wrapped to boost the CP965 with outstanding audio performance.

The 13-microphone array is elaborately positioned in every "foot" and the center of the CP965 to assure omnidirectional voice pickup and effective noise-cancellation. The advanced speaker also activates a max. 96db/0.5m performance.

With this magic black box, attendees from every corner of the room can hear and be heard with equitable clarity.

SOPHISTICATED TECHNOLOGY

Algorithm of Intelligence,
Engineered for Productivity
Diving into the field of audio communication for more than 20 years, Yealink has developed a series of acoustic technology including Smart Noise

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Filtering, Optimal HD audio and Noise Proof Technology to eliminate all the distracting sounds.

The next-generation technology, powered by solid processing performance, significantly improves the audio quality in collaboration. The exchange of verbal message can be more productive than ever.

Scalable for More Flexibility and Possibility

- BYOD - By simply connecting mobile devices (such as computer, smartphone, PSTN device CPN10, etc.) through Bluetooth or Type C or USB 2.0 port to realize Hybrid UC meeting (including PSTN, SIP, mobile phone).
- Wireless microphones - The DECT wireless expansion microphone CPW65, can provide an extra 10-meter voice pickup range to expand the covering area of CP965 without cord restraint. (*Coming soon)
- PSTN conference - With Yealink CPN10, the CP965 also supports 3-way local conference.

Techninė specifikacija

Features	
Product type	IP conference phone
Built-in display	Yes
Built-in speaker(s)	Yes
Recommended room size	Large room
Control type	Touch
Product colour	Black
Display type	LCD
Display diagonal	12.7 cm (5")
Display resolution	720 x 1280 pixels
Touchscreen	Yes
Audio system full duplex	Yes
Voice codecs	AGC, AJB, CNG, G.711a, G.711u, G.722, G.722.1C, G.723, G.726, G.729, G.729A, OPUS, PCMA, PLC, VAD, iLBC
Microphone direction type	Omnidirectional
Number of microphone arrays	1
Frequency range	100 - 20000 Hz
Sound pressure level	94 dB
Echo cancellation	Yes
Noise reduction	Yes
Microphone pick-up range	6 m
Microphone mute	Yes
Conference call ways quantity	10
Wi-Fi	Yes
Top Wi-Fi standard	Wi-Fi 4 (802.11n)

Bluetooth	Yes
Bluetooth version	4.2
Ethernet LAN data rates	10,100 Mbit/s
Power over Ethernet (PoE)	Yes
Security algorithms	256-bit AES, HTTPS, MD5, WPA2, WPA3
Quality of Service (QoS) support	Yes
Conference call	Yes
Call forwarding	Yes
Call hold	Yes
Call waiting	Yes
Call blocking	Yes
Phonebook capacity	1000 entries
Call transfer	Yes
Call history	Yes
Call return	Yes
Cable lock slot	Yes
Cable lock slot type	Kensington
Speaker power	5 W
Speaker diameter	5.6 cm
Certification	CE, FCC, RoHS, REACH, ISO 9001, CCC
Call management	
Do not disturb function	Yes
Ports & interfaces	
RJ-45 ports quantity	1
USB port	Yes
USB version	2
USB connector type	USB Type-A, USB Type-C
USB ports quantity	2
Power	
Power consumption (max)	14 W
Power consumption (Power over Ethernet (PoE))	20 W
Operational conditions	
Storage temperature (T-T)	-10 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Weight & dimensions	
Width	328 mm
Depth	322 mm
Height	62 mm
Package width	384 mm
Package depth	398 mm
Package height	105 mm
Packaging content	
Screws included	Yes
Number of screws included	5 pc(s)
Screwdriver included	Yes
Ethernet cable	Yes
Quick installation guide	Yes
Logistics data	
Products per master (outer) case	5 pc(s)
Master (outer) case gross weight	9.02 kg
Master (outer) case length	552 mm
Master (outer) case width	392 mm
Master (outer) case height	410 mm
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Svoris	1.65kg

Dokumentai ir vaizdo įrašai

› Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

Yealink Network Technology Co., Ltd
Hu'an Road High Tech Park 666, Huli District Xiamen, CN
yealink.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.