Zyxel USGFLEX50HP-EU0101F hardware firewall 0.35 Gbit/s

Gamintojas: **ZYXEL** · Modelis: **USGFLEX50HP-EU0101F** · EAN: **4718937638291** · Prekės kodas: **932125**



516,90 €

Kaina su PVM

Be PVM: **427,19 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Deliver up to 350 Mbps firewall throughput and 90 Mbps VPN throughput
- ✓ 10 concurrent Ipsec VPN connections with SHA-2 encryption
- ✓ High Throughput Gb Ports, 1x WAN, 4x LAN/DMZ
- ✓ Optional security license pack service includes content filter
- ✓ Flexible to adapt to on-premises or Nebula cloud
- ✓ Strong VPN reliability and security for your business
- ✓ Manage all distributed networks from one single screen
- ✓ Web Filtering protects you from undesirable content
- ✓ Device Insight reduces the cyber attack surface
- ✓ Analytics report and enhanced insights





Aprašymas

Nebula Together

The USG FLEX 50 is now part of the Nebula cloud management family with the same easy management interface and streamlined configuration & updates. The network functions and management services are pushed to the cloud and are optimized for managing distributed networks. The USG FLEX 50 helps customers to comply with regulations by offering log archiving service without the need for additional hardware and software installation.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Robust VPN Connections

The USG FLEX 50 provides comprehensive VPN connection types including IKEv2, SSL & IPsec VPN. All offer customers secured remote connections. IPsec VPN hardware engine for high-efficiency VPN tunnel. VPN load balance/failover with IKEv2 ensures strong VPN reliability and security for your business.

Comprehensive Content Filter Service

The USG FLEX 50 delivers enhanced content filtering functionality and security through its powerful combination of both reputation and category-based filtering. A newly added DNS content filter offers a better approach to inspect web access, particularly when the website is deploying ESNI (Encrypted Server Name Indication) where the traditional URL filtering is not applicable to the destination domain.

Device Insight

Device Insights give you more visibility of your networks including wired, wireless, BYOD, and IoT devices. You can create access policy with device contextual such as OS version or device category to enforce network segmentation. This reduces the attack surface and prevents threats from spreading. This also helps SMB(s) reduce time spent on investigation.

Analytics Report and Enhanced Insights

SecuReporter premium offers comprehensive protection and analytics. Utilize SecuReporter premium for a suite of advanced analysis and reporting tools including Sandboxing, Threat Website Analytics, and Threat IP Analytics. Users can also run customized report on-demand or on a regular schedule such as daily, weekly, and monthly.

Optional Security Pack

The USG FLEX 50 provides an indispensable feature set to perfectly fit small business requirements as well as to gain essential security services needed, including Web Filtering, SecuReporter Premium, and Security Profile Sync, to protect against cyberattacks. In addition, Nebula Control Center (NCC) also offers multiple subscription options to meet customers’ needs.

Techninė specifikacija

Data transmission	
Firewall throughput	0.35 Gbit/s
VPN throughput	0.09 Gbit/s
Maximum firewall connections	20000
Performance	
Built-in processor	Yes
Heat dissipation	40.92 BTU/h
Concurrent users	15 user(s)
Syslog	Yes
Mean time between failures (MTBF)	655130 h
Network	
Wi-Fi	No
Concurrent SSL/VPN connections (maximum)	15

VPN tunnels quantity	10
Security	
Security algorithms	3DES, 256-bit AES, DES, HTTPS, IPSec, MD5, SHA-1, SHA-2
DDoS protection	Yes
Firewall security	Y
Protocols	
Management protocols	SNMP v1, v2c, v3
Management features	
LED indicators	Yes
Web-based management	Yes
URL filtering	Yes
Ports & interfaces	
Ethernet LAN data rates	10,100,1000 Mbit/s
WAN connection	Ethernet (RJ-45)
DC-in jack	Yes
Design	
Built-in fan	No
Power	
Input current	2 A
DC input voltage	12 V
Power consumption (max)	12 W
Certificates	
Certification	FCC Part 15 (Class B), IC, CE EMC (Class B), RCM, BSMI
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	216 mm
Depth	143 mm
Height	33 mm
Weight	880 g
Packaging data	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Package width	276 mm
Package height	185 mm
Package depth	98 mm
Package weight	1.41 kg
Packaging content	
Cables included	LAN (RJ-45)

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zyxel Networks Corporation
Industry East RD. IX, Hsinchu Science Park 2,
30076 Hsinchu, TW
zyxel.com

ATSAKINGAS ASMUO ES

Zyxel Networks A/S
Adenauerstraße 20/A3, 52146 Würselen, DE
zyxel.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt