# iiyama ProLite T2252MSC-B2 kompiuterio monitorius 54,6 cm (21.5") 1920 x 1080 pikseliai „Full HD“ LCD Lietimui jautrus ekranas Juoda

Gamintojas: **IIYAMA** · Modelis: **T2252MSC-B2** · EAN: **4948570121809** · Prekės kodas: **932448**




**265,90 €**

Kaina su PVM

Be PVM: **219,75 €**

**Sandėlyje**

**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ 54,6 cm (21.5") Juoda
- ✓ Įmontuoti garsiakalbiai
- ✓ HDMI „DisplayPort“ kiekis: 1
- ✓ Ekrano forma: Plokščias
- ✓ Reakcijos laikas: 5 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): C ErP CE, cTUVus, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE



Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903






## Aprašymas

With its Full HD (1920x1080) resolution and accurate 10-point DeepContrast PCAP+ touch technology (Optical Bonded PCAP), which ensures smooth and precise touch response and low light reflection, the ProLite T2252MSC-B2 delivers seamless and accurate touch response. In addition, the display is protected from moisture and potential condensation development. Featuring IPS LCD screen technology, it offers exceptional colour performance and wide viewing angels, making it a perfect choice for a vast array of interactive applications. The flexible stand can be positioned at several angels creating a comfortable and ergonomic user experience and the integrated cable management system hides all the cables and electrical wires giving a neat and cable-free workspace. In addition, the edge-to-edge glass and ultra slim design creates an eye-catching finish. The ProLite T2252MSC-B2 is the ideal solution for interactive signage, instore retail, POS and interactive presentations.

## Techninė specifikacija

| **Display** | |
|---|---|
| Display diagonal | 54.6 cm (21.5") |
| Display resolution | 1920 x 1080 pixels |
| Native aspect ratio | 16:9 |
| Display technology | LCD |
| Touchscreen | Yes |
| HD type | Full HD |
| Panel type | IPS |
| Response time | 5 ms |
| Screen shape | Flat |
| Contrast ratio (typical) | 1000:1 |
| Display number of colours | 16.7 million colours |
| Touchscreen technology | Projected capacitive system |
| Touch technology | Multi-touch |
| Number of simultaneous touchpoints | 10 |
| Display brightness (peak) | 250 cd/m² |
| Display brightness (typical) | 250 cd/m² |
| Display brightness | 225 cd/m² |
| Response time measurement type | GTG (Gray to Gray) |
| Viewing angle, horizontal | 89° |
| Viewing angle, vertical | 89° |
| Pixel pitch | 0.249 x 0.249 mm |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Horizontal scan range | 30 - 83 kHz |
| Viewable size, horizontal | 47.9 cm |
| Viewable size, vertical | 26 cm |
| Display diagonal (metric) | 54.5 cm |
| Surface hardness | 7H |
| **Performance** | |
| NVIDIA G-SYNC | No |
| AMD FreeSync | No |
| Low Blue Light technology | Yes |
| Palm rejection | Yes |
| **Multimedia** | |
| Built-in speaker(s) | Yes |
| Built-in camera | No |
| Number of speakers | 2 |
| RMS rated power | 2 W |
| **Design** | |
| Product colour | Black |
| Front bezel colour | Black |
| **Ports & interfaces** | |
| Built-in USB hub | Yes |
| HDMI | Yes |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) |
| Number of upstream ports | 2 |
| Number of downstream ports | 2 |
| USB Touch port | Yes |
| HDMI ports quantity | 1 |
| DisplayPorts quantity | 1 |
| HDCP | Yes |
| **Ergonomics** | |
| VESA mounting | Yes |
| Cable lock slot | Yes |
| Height adjustment | No |
| Panel mounting interface | 100 x 100 mm |
| Cable lock slot type | Kensington |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Tilt adjustment | Yes |
| Tilt angle range | -5 - 90° |
| On Screen Display (OSD) | Yes |
| On Screen Display (OSD) languages | Traditional Chinese, Czech, German, English, French, Italian, Japanese, Dutch, Polish, Russian |

## Power

| | |
|---|---|
| Energy efficiency class (SDR) | C |
| Energy efficiency class (HDR) | Not available |
| Energy consumption (SDR) per 1000 hours | 10.2 kWh |
| Power consumption (typical) | 11 W |
| Power consumption (standby) | 1.5 W |
| Power consumption (off) | 0.3 W |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |
| Power supply type | Internal |
| Energy efficiency scale | A to G |

## Weight & dimensions

| | |
|---|---|
| Width (with stand) | 493.5 mm |
| Depth (with stand) | 239.5 mm |
| Height (with stand) | 361.5 mm |
| Weight (with stand) | 4.5 kg |

## Packaging data

| | |
|---|---|
| Package width | 560 mm |
| Package depth | 150 mm |
| Package height | 350 mm |
| Package weight | 6 kg |

## Packaging content

| | |
|---|---|
| Cables included | AC, USB, HDMI |
| Quick start guide | Yes |

## Sustainability

| | |
|---|---|
| Sustainability certificates | ErP |


## Other features

| | |
|---|---|
| Compatible operating systems | All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section. |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Brightness | 225 cd/m² |
| Active display area (W x H) | 478.6 x 260 mm |
| USB ports quantity | 2 |
| Weight | 4.5 kg |
| Height | 361.5 mm |
| Width | 493.5 mm |
| Depth | 239.5 mm |
| Compliance certificates | CE, cTUVus, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE |
| User controls | picture adjust (brightness, contrast, i-Style, adv. contrast, ECO, OD, X-Res), color settings (gamma, rgb range, color temp.), image settings (video mode adjust, blue light reducer, sharp & soft), OSD (horizontal position, vertical pos., time, background), extra (reset, dcc/ci, signal select, volume, mute, opening logo, led, touch switch) |
| Touch method | stylus, finger, glove |
| Control panel | Joystick: right/menu/enter, left/input/exit, up/eco, down, power |
| **Matmenys ir svoris** | |
| Matmenys (I × P × A) | 56,00cm × 16,00cm × 35,00cm |
| Svoris | 5,70kg |

## Energijos efektyvumas ir ekologinis projektavimas




Energijos efektyvumo klasė C A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

## Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

## Gamintojo ir saugos informacija

GAMINTOJAS

**iiyama International**
Wijkermeerstraat 8, 2131 HA Hoofddorp, NL
iiyama.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.