# Lindy 150m Cat.6 HDMI 4K60, IR, RS-232 & Audio HDBaseT KVM Extender, Receiver

Gamintojas: **LINDY** · Modelis: **38389** · EAN: **4002888383899** · Prekės kodas: **932748**



**289,90 €**

Kaina su PVM

Be PVM: **239,59 €**

**Sandėlyje**

**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Distributes HDMI resolutions up to 150m over Cat.6 network cable via HDBaseT technology with Long Reach mode
- ✓ Supports HDMI 18G resolutions up to 4K@60Hz 4:4:4, with additional support for HDR
- ✓ Supports USB 2.0, Audio, RS232 and bi-directional IR for control
- ✓ Supports PoC (Power over cable), requiring a power supply connection from only one side of the installation






## Aprašymas

### Extend HDMI and USB signals up to 150m via HDBaseT

The Lindy 150m Cat.6 HDMI 4K60, IR, RS232 & Audio HDBaseT KVM Receiver is one part of a high performance, reliable solution for extending AV and data signals over long distances via Cat.6 network cable.

By combining this Receiver unit with a compatible HDBaseT Wall Plate Transmitter such as Lindy No. 38387 and 38388, this solution ensures reliable transmission up to 150m.

The following distance and resolution combinations are possible when using high quality Cat.6 or above U/UTP or F/UTP cable:
Standard Mode (STD)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

90m: 3840x2160@60Hz 4:4:4 8bit / 4:2:2 12bit
Long Reach Mode (LRM)
150m: 3840x2160@30Hz 4:4:4 8bit / 4:2:2 12bit

Supporting resolutions up to 4K Ultra HD, video can be viewed in stunning clarity, while additional support for HDR (High Dynamic Range) allows content to be displayed with enhanced brightness, greater contrasts of blacks and whites and a much wider colour gamut. This provides a reliable solution for creating eye-catching digital signage in retail, immersive displays at events or engaging setups in larger conference rooms or lectures halls.

PoC (Power over Cable) functionality with On/Off switch provides additional flexibility. This allows power to be supplied alongside data through Cat.6 network cable in a point to point connection between the transmitter and receiver, meaning only a single power supply is required at one side of the installation.

This extender supports USB 2.0 devices like mouse, keyboard, and other peripherals to be connected to the receiver to control a source device such as a PC or laptop or for data transfer. Featuring bi-directional IR ports at both sides of the setup, the source equipment can be easily controlled from the display side, and the display can also be controlled from the HDMI source side.

In addition, the power supply is connected via a screw type DC jack, providing a more secure and reliable connection, perfect for professional installations where accidental disconnections could create a major issue.

HDBaseT is a globally recognised standard for high quality distribution of AV content and other technologies, including power and control, over longer distances via low cost Cat.6 or above cable.

HDBaseT_ and the HDBaseT Alliance logo are trademarks of the HDBaseT Alliance. Using a different cable type, introducing wall plates, couplers or patch panels will result in a reduction of possible distances.

## Techninė specifikacija

| | |
|---|---|
| **Features** | |
| Type | Receiver |
| Connectivity technology | Wired |
| Maximum transfer distance | 150 m |
| Cable types supported | Cat6 |
| Maximum digital resolution | 3840 x 2160 pixels |
| Maximum refresh rate | 60 Hz |
| Colour depth | 8 bit |
| Product colour | Black |
| Material | Metal, Plastic |
| LED indicators | Link, Power, Video |
| Certification | CE, UKCA, FCC, RoHS, REACH & California Proposition 65 |
| **Transmitter** | |
| Transmitter video port type | HDMI |
| Transmitter local keyboard/mouse port type | USB |
| RJ-45 ports quantity (transmitter) | 1 |
| **Receiver** | |
| Receiver local video port type | HDMI |

| | |
|---|---|
| Receiver local keyboard/mouse port type | USB |
| RJ-45 ports quantity (receiver) | 1 |
| **Ports & interfaces** | |
| USB port type | USB Type-A |
| USB 2.0 ports quantity | 2 |
| HDMI version | 2 |
| RS-232 ports | 1 |
| **Power** | |
| AC adapter output voltage | 24 V |
| AC adapter output current | 1 A |
| **Packaging data** | |
| Package width | 220 mm |
| Package depth | 70 mm |
| Package height | 130 mm |
| Package weight | 579 g |
| **Packaging content** | |
| Manual | Yes |
| **Operational conditions** | |
| Operating temperature (T-T) | 0 - 40 °C |
| Storage temperature (T-T) | -20 - 60 °C |
| Operating relative humidity (H-H) | 20 - 90% |
| Storage relative humidity (H-H) | 20 - 90% |
| **Other features** | |
| HDCP | Yes |
| HDCP version | 2.2 |
| Extended display identification data (EDID) | Yes |
| Compliance certificates | CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA |
| **Technical details** | |
| Dimensions (WxDxH) | 157 x 20 x 88 mm |
| Maximum resolution | 3840 x 2160 pixels |
| Weight | 389 g |
| **Logistics data** | |
| Quantity per pack | 1 pc(s) |
| **Sustainability** | |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Sustainability compliance | Yes |
| **Matmenys ir svoris** | |
| Svoris | 0,77kg |

## Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

## Gamintojo ir saugos informacija

GAMINTOJAS

**LINDY International Ltd.**
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

**LINDY-Elektronik GmbH**
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt