Zebra DS2208 Handheld bar code reader 1D/2D LED Black, White

Gamintojas: **ZEBRA** · Modelis: **DS2208-SR6U2100SGW** · EAN: **5711783398493** · Prekės kodas: **933314**



122.90€

Kaina su PVM

Be PVM: **101.57€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Handheld bar code reader Black, White
- ✓ Scanner type: 1D/2D Sensor type: LED
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, EAN-13, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, U.P.C. Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, PDF417, QR Code, TLC-39
- ✓ 640 x 480 pixels
- ✓ Working distance: 36.8 cm
- ✓ Tilt reading angle: -65 - 65°
- ✓ Wired Standard interfaces: USB, RS-232, RS-485, Keyboard wedge
- ✓ Power source type: DC






Aprašymas

AFFORDABILITY AND SIMPLICITY DELIVERED

2D barcodes have made their way to your Point of Sale, appearing on everything from the items your customers are purchasing to printed and electronic coupons and loyalty cards.

Your 1D scanner can’t capture the new 2D codes, leading to exceptions that slow down the check-out process and frustrate customers at that key last personal touchpoint in your store.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

But with the DS2200 Series, you can scan it all. You get an affordable 1D/2D imager that doesn’t compromise performance or features for price. And you can choose the model that best fits your POS needs — the corded DS2208 or the cordless DS2278. The DS2200 Series — the affordability your budget demands, with the deployment, ease of use and management simplicity your business requires.

Techninė specifikacija

Scanning	
Type	Handheld bar code reader
Scanner type	1D/2D
Sensor type	LED
Linear (1D) barcodes supported	Codabar, Code 11, Code 128, Code 39, Code 93, EAN-13, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, U.P.C.
2D (matrix & stacked) barcodes supported	Aztec Code, Composite Codes, Data Matrix, Han Xin, MaxiCode, Micro QR Code, PDF417, QR Code, TLC-39
Optical sensor resolution (W x H)	640 x 480 pixels
Working distance	36.8 cm
Wavelength	645 nm
Tilt reading angle	-65 - 65°
Pitch reading angle	-65 - 65°
Yaw reading angle	-65 - 65°
Ports & interfaces	
Connectivity technology	Wired
Standard interfaces	USB, RS-232, RS-485, Keyboard wedge
Performance	
Product colour	Black, White
International Protection (IP) code	IP42
LED indicators	Yes
Certification	EN 60950-1 2ed + A11 + A1 + A12 + A2:2013, IEC 60950-1 2ed + A1 + A2, UL 60950-1, CAN/CSA-C22.2 No. 60950-1-07 IEC 62471 EN 55022 (Class B); EN 55032 (Class B) EN 55024 EN 61000-3-2 EN 61000-3-3 47 CFR Part 15, Subpart B, Class B ICES-003 Issue 6, Class B
Power	
Power source type	DC
AC adapter output voltage	5 V
Power consumption	250 mA
Weight & dimensions	
Weight	161.6 g
Width	66 mm

Depth	99 mm
Height	165 mm
Packaging data	
Cables included	Micro-USB
Charging base	No
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Technical details	
Compliance certificates	RoHS
Logistics data	
Harmonized System (HS) code	84716070
Matmenys ir svoris	
Svoris	0.67kg

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

Zebra

EU RESPONSIBLE PERSON

Zebra Technologies
Borupvang 3, Ballerup, DK
zebra.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.