

TP-Link Deco X50-4G Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Balta 3 Vidinis

Gamintojas: **TP-LINK** · Modelis: **DECO X50-4G(1-PACK)** · EAN: **4897098685198** · Prekės kodas: **934151**



250,91 €

Kaina su PVM

Be PVM: **207,36 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stiprintuvų tinklo („Mesh“) maršruto parinktuvas Balta
- ✓ Antenos tipas: Vidinis Antenų kiekis: 4
- ✓ Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax)
- ✓ WPA, WPA2, WPA3
- ✓ PTP protokolą per Eternetą (PPPoE) Dinaminis IP Statinis IP adresas
- ✓ Belaidės paskirstymo sistemos (WDS) tiltas 4G
- ✓ DHCP klientas DHCP serveris
- ✓ Eterneto WAN



Aprašymas

**Flexible Internet Access,
WiFi Everywhere**

4G+ AX3000 Whole Home Mesh WiFi 6 Gateway

All-in-one Deco

Armed with a built-in 4G+ modem, WiFi 6, and TP-Link Mesh technology, Deco X50-4G delivers hassle-free 4G internet sharing with a superior whole-home mesh WiFi experience. Plug your SIM card in and enjoy!

4G+ Speed for Consummate Entertainment

The Deco X50-4G gateway supports Cat6 with internet downlink speeds up to 300 Mbps, shared by super-fast WiFi 6 with speeds up to 3.0 Gbps, enabling lag-free online activities such as 4K streaming, cloud-gaming, and video calls. Plug in your SIM card and enjoy high-speed internet.

Fast 4G Connection Where You Need It

Simple, just one SIM card

Traditional broadband or cable installation is expensive and time-consuming for your vacation home, farm, or suburban warehouse. Long contract periods also create headaches for short-rentals, pop-up venues, and temporary shops to access the internet. Deco X50-4G ensures a comfortable and no-block network installation. Plug in your SIM card and enjoy high-speed internet!

AX3000 - Incredible WiFi 6 Mesh

Armed with WiFi 6 technology, Deco whole home mesh WiFi is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more.

Gigabit Connectivity, 10x Faster

With 3 Gigabit WAN/LAN ports, speeds can be up to 10x faster than standard Ethernet connections. Connect your favorite wired devices to Deco X50-4G and get impressed!

Cover Every Corner of Your Home

To blanket your entire home with WiFi, Deco X50-4G units work together as a powerful mesh network to boost broader coverage for connections in every corner.

Engineered for

More Devices

Deco products are aimed to dramatically improve capacity and efficiency in traffic-dense environments. No matter how many screens or devices are on at once, everyone is able to enjoy a more efficient network that loads faster without dragging down performance.

Seamless Roaming with One WiFi Name

TP-Link Mesh means Deco units work together to form one unified network. Your phone or tablet automatically connects to the fastest Deco as you move through your home, creating a truly seamless WiFi experience.

Simple. Easy. Yet Powerful.

Setup and manage your network anytime and anywhere on the friendly TP-Link Deco app. In just three easy steps your entire home can be blanketed in strong and reliable WiFi.

Control Anyway You Want

Easy Management

Manage your WiFi at home or away on the Deco app. See every connected device, prioritize your own, and set up a guest network.

Voice Control

Use an Amazon Alexa or Google Assistant-enabled device to control Deco X50-4G with just your voice.

All Decos Work Together

Deco X50-4G is compatible with every other Deco model to form a Mesh network. Expand Mesh WiFi coverage anytime by adding more Decos.

Techninė specifikacija

Konstrukcija	
Produkto spalva	Balta
Antenos tipas	Vidinis
Gaminio tipas	Stiprintuvų tinklo („Mesh“) maršruto parinktuvas
LED indikatoriai	Taip
Antenų kiekis	4
Perdavimo galia	≤20 dBm (2.4GHz); ≤23 dBm (5GHz)
Atstatymo mygtukas	Taip
Belaidžio interneto funkcijos	
„Wi-Fi“ dažnių juosta	Dviguba juosta (2,4 GHz / 5 GHz)
„Wi-Fi“ standartas	Wi-Fi 6 (802.11ax)
Wi-Fi standartai	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN duomenų perdavimo sparta (pirmoji juosta)	574 Mbit/ai
WLAN duomenų perdavimo sparta (antroji juosta)	2402 Mbit/ai
Tinklo standartai	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Apsaugos algoritmų palaikymas	WPA, WPA2, WPA3
Svečių tinklų (5 GHz) skaičius	1
Svečių tinklų (2,4 GHz) skaičius	1
PTP protokolas per Eternetą (PPPoE)	Taip
Dinaminis IP	Taip
Statinis IP adresas	Taip
Belaidės paskirstymo sistemos (WDS) tiltas	Taip
IGMP tarpinis serveris	Taip
IGMP tinklinio judėjimo sekimas	Taip
Žymėtasis VLAN tinklas	Taip
Dinaminis DNS (DDNS)	Taip
Svečių prieiga	Taip
Palaikomos valdymo programos	TP-Link Deco
Mobilusis ryšys	

Mobiliojo tinklo generavimas	4G
3G standartai	DC-HSPA+, HSPA, UMTS
4G standartai	LTE-TDD & LTE-FDD
Palaikomi 4G dažniai	700,800,850,900,1800,2100,2300,2500,2600 MHz

Savybės

Integruotas procesorius	Taip
Procesoriaus branduoliai	4
Procesoriaus dažnis	1,7 GHz
DHCP klientas	Taip
DHCP serveris	Taip
Universali „Plug and Play“ jungtis (UPnP)	Taip
MU-MIMO technologija	Taip
MIMO	Taip

Ryšys

Ethernet LAN (RJ-45) portų kiekis	3
Eterneto WAN	Taip
DC įėjimo lizdas	Taip

Energijos valdymas

AC įėjimo įtampa	100 - 240 V
AC adapterio įėjimo srovė	0,6 A
AC įėjimo dažnis	50 - 60 Hz
AC adapterio išėjimo įtampa	12 V
AC adapterio išėjimo srovė	1,5 A

Sertifikatai

Sertifikavimas	CE, RoHS
----------------	----------

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)	0 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 60 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 90%

Svoris ir matmenys

Plotis	105 mm
Ilgis	105 mm
Aukštis	167 mm

Pakuotės turinys

Produktų skaičius pakuotėje	1 vnt
Kintamosios srovės adapteris	Taip
Įdėtų vienetų skaičius	1 vnt
Eterneto laidas	Taip

Pakuotės duomenys

Pakuotės plotis	241 mm
Pakuotės gylis	213,5 mm
Pakuotės aukštis	124 mm
Paketo svoris	1,24 kg

Matmenys ir svoris

Svoris	1,23kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) youtube.com/watch?v=iKBGtDQL3DA

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederlassener Lohweg 175, 40547 Düsseldorf,
DEtp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt