

iiyama ProLite T1521MSC-B2 kompiuterio monitorius 38,1 cm (15") 1024 x 768 pikseliai XGA LED Lietimui jautrus ekranas Stalo paviršius Juoda

Gamintojas: **IIYAMA** · Modelis: **T1521MSC-B2** · EAN: **4948570120642** · Prekės kodas: **934654**



339,90 €

Kaina su PVM

Be PVM: **280,91 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 38,1 cm (15") Juoda
- ✓ Įmontuoti garsiakalbiai
- ✓ HDMI
- ✓ Ekranas forma: Plokščias
- ✓ Reakcijos laikas: 8 ms
- ✓ 1024 x 768 pikseliai XGA Skydo tipas: TN
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E ErP CE, cULus, EAC, REACH, RoHS, UKCA, WEEE





Aprašymas

The ProLite T1521MSC-B2 15" touchscreen is based on projected capacitive technology, offering optimal seamless and accurate touch response. Due to its glass overlay, it guarantees high durability, scratch-resistance and perfect picture performance. A solid and steady base supports the touchscreen with an adjustable stand offering up to 70 degree tilt angles. Menu buttons are located on the back of the screen which can be locked to prevent tampering, and includes a handy function to deactivate the touchscreen for cleaning. The ProLite T1521MSC-B2 is an incredibly powerful touch solution, perfect for instore retail purposes.

Techninė specifikacija


Display	
Display diagonal	38.1 cm (15")
Display resolution	1024 x 768 pixels
Native aspect ratio	4:3
Display technology	LED
Touchscreen	Yes
HD type	XGA
Panel type	TN
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	800:1
Display number of colours	16.7 million colours
Backlight type	LED
Touchscreen type	Tabletop
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (peak)	370 cd/m²
Display brightness (typical)	370 cd/m²
Display brightness	325 cd/m²
Display surface	Matt
Viewing angle, horizontal	170°
Viewing angle, vertical	160°

Pixel pitch	0.297 x 0.297 mm
Horizontal scan range	31.4 - 60 kHz
Viewable size, horizontal	30.4 cm
Viewable size, vertical	22.8 cm
Display diagonal (metric)	38 cm
DDC/CI	Yes
Surface hardness	7H
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Business
Product colour	Black
Front bezel colour	Black
Feet colour	Black
Glass thickness	1.2 mm
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
USB Touch port	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
Ergonomics	
VESA mounting	Yes
Panel mounting interface	75 x 75 mm
Cable management	Yes
Tilt adjustment	Yes
Tilt angle range	10 - 70°
On Screen Display (OSD)	Yes

On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Dutch, Russian
Number of OSD languages	8
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	11 kWh
Power consumption (typical)	16 W
Power consumption (standby)	1.5 W
Power consumption (off)	0.5 W
AC adapter output voltage	12 V
Power supply type	External
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	340.5 mm
Depth (with stand)	198 mm
Height (with stand)	308 mm
Weight (with stand)	3.5 kg
Packaging content	
Stand included	Yes
Cables included	AC, USB, HDMI
Power adapter included	Yes
Quick start guide	Yes
Manual	Yes
Sustainability	
Sustainability certificates	ErP
Sustainability compliance	Yes
Other features	
International Protection (IP) code	IPX3
Compatible operating systems	All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section.
AC adapter included	Yes
Brightness	325 cd/m²
Packaging content	AC adapter, mylar sheet (for VESA mount)
Active display area (W x H)	304 x 228 mm

Weight	3.5 kg
Height	308 mm
Width	340.5 mm
Depth	198 mm
Compliance certificates	CE, cULus, EAC, REACH, RoHS, UKCA, WEEE
User controls	picture (backlight, brightness, contrast, sharpness), display (auto adjustment, H position, V position, pixel clock, phase), color (color temp, picture mode), input, audio (volume, mute), other (reset, OSD time, OSD H position, OSD V position, language), information
Touch method	stylus, finger, glove
Control panel	Menu, Up/Left/ Auto adjustment button, Down/Right button, Return/Exit button, Power
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 34,00cm × 31,00cm
Svoris	5,00kg

Energijos efektyvumas ir ekologinis projektavimas



2010/05/13

Energijos efektyvumo klasė

E A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

iiyama International

Wijkmeerstraat 8, 2131 HA Hoofddorp, NL

iiyama.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt