Viewsonic IFP8663-2C interactive whiteboard 2.18 m (86") 3840 x 2160 pixels Touchscreen Black

Gamintojas: **VIEWSONIC** · Modelis: **IFP8663-2C** · EAN: **766907034851** · Prekės kodas: **936183**



9 581,91 €

Kaina su PVM

Be PVM: **7 918,93 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultra-precise writing with 50-point PCAP touch, palm rejection, and Write Away™ technology
- ✓ Secure, future-ready performance with upgradable Android 15 OS, EDLA certification, and octa-core processor with 32GB RAM
- ✓ Streamlined device management with ViewSonic Manager
- ✓ NFC login for fast, secure user access in shared workspaces
- ✓ Smart sensors that auto-adjust brightness, monitor ambient conditions, and activate power-saving modes
- ✓ EPEAT Gold certified delivering up to 24% greater energy efficiency than the previous generation.













Aprašymas

The ViewSonic® ViewBoard® IFP63 Series is a 4K UHD interactive flat panel designed for secure, high-performance collaboration in enterprise and higher education environments. With ultra-responsive 50-point PCAP touch, palm rejection, and Write Away™ technology, it enables seamless, pen-on-paper annotation—ideal for hybrid meetings, interactive lessons, and brainstorming sessions. Powered by Android 15 and EDLA-certified, the interactive display provides secure access to the latest apps and updates on a future-ready platform. An octa-core processor and 32GB of RAM support smooth multitasking for demanding workflows, while NFC tap-to-sign-in simplifies access in shared settings. Part of the ViewSonic Business Solutions, it includes three powerful software tools: Manager for remote device management, AirSync for wireless casting, and TeamOne for real-time collaboration. Designed with sustainability in mind, this display features integrated sensors that adjust brightness, monitor environmental conditions, and trigger energy-saving modes. It is certified EPEAT Gold and EEI Level F for efficient, environmentally responsible deployment.

Collaborate with Security and Precision
ViewBoard® IFP63 Series Interactive Displays

Precision Collaboration
Smooth, Accurate Writing Experience
The ViewBoard® IFP63 Series delivers a smooth, precise writing experience with ultra-responsive PCAP touch and 1 mm accuracy. Whether using a stylus or fingers, users experience fluid, zero-lag inking with no line breakage, ensuring clear and natural interaction during brainstorming sessions, live presentations, and instructor-led seminars.

Collaborate in Real Time

Support for up to 50 simultaneous touch points with built-in palm rejection allows multiple users to write, draw, and annotate together with ease. Ideal for group brainstorming, dynamic lessons, and live presentations, this interactive flat panel ensures smooth, accurate, and uninterrupted collaboration, whether using a stylus or fingers.

Digital Whiteboarding Made for Teams

TeamOne whiteboarding software enables intuitive collaboration, note-taking, and idea sharing in both in-person and hybrid sessions. Optimized for multi-user touch gestures, it allows teams to sketch, annotate, and brainstorm together on the same screen. Whether in meeting rooms or classrooms, TeamOne helps teams collaborate more effectively in any space.

Highlight, Sketch, and Annotate on the Fly

With Write Away™ and ViewSonic Ink, users can write instantly at the lift of the stylus and toggle between four colors with a single tap. Whether annotating a presentation on the fly, sketching ideas, or color-coding content, this keeps collaboration smooth and helps teams stay organized.

ViewSonic Ink requires the optional VB-PEN-201-1C active stylus.

Adapt to Any Space and Workflow

Customize your ViewBoard® IFP63 Series setup to match your team’s needs with a full range of compatible accessories. From Microsoft Teams Rooms kits and slot-in PCs to expansion microphones, webcams, and styluses, each add-on helps create a more efficient and engaging experience across conference rooms, training rooms, classrooms, and more.

Streamlined Connectivity for BYOD Spaces

Connect and power devices with four built-in USB-C ports that support audiovisual transmission, data, touch, Ethernet, and up to 100W charging. One port is conveniently top-mounted for quick, adapter-free camera integration, ideal for video conferencing and hybrid lessons.

Instant and Secure Screen Sharing

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

With built-in ViewSonic AirSync, this interactive display enables wireless screen sharing from laptops and mobile devices via a web browser, with no cables or apps required. AirSync also supports split, extended, and grouped display modes for advanced setups. Compatible with AirPlay, Miracast, and Chromecast, it ensures fast, secure sharing in huddle spaces, meeting rooms, and labs.

Enterprise Security

Enterprise-Grade Security

Maintain compliance, reduce risk, and safeguard sensitive data with confidence. The ViewBoard® IFP63 Series is EDLA-certified and leverages Android's enterprise-grade security framework, including regular Android security updates, Google Play Protect, managed app updates through Google Play, user-level two-factor authentication, and built-in data encryption.

Native Access to Google Workspace, Microsoft 365, and More

The EDLA-certified IFP63 Series offers direct access to the Google Play Store, enabling fast, secure downloads of productivity tools like Google Workspace, Microsoft 365, Zoom, and other essentials. Whether in meetings, brainstorming sessions, or classroom lessons, teams can collaborate effortlessly with the apps they already use, right from the display.

Fast, Secure Access for Every User

NFC badge login supports secure, multi-user environments by protecting corporate data and enforcing access control. It also reduces setup time and simplifies device use by instantly loading each user's personalized settings, files, and profiles.

Future Ready, High-Performance Platform

An octa-core processor combined with 32GB of RAM ensures fast app launches, smooth video playback, and seamless multitasking. With Android 15 installed and support for a future OS upgrade, the platform delivers sustained performance, enterprise-grade security, and forward compatibility. It gives teams the headroom they need to meet today's demands while staying ready for what's next.

Simplified Remote Device Management

Streamline device management and reduce IT workload with ViewSonic Manager. Using a centralized web-based dashboard, administrators can remotely control the ViewBoard IFP63 Series and other networked displays, broadcast content, manage power cycles and ECO mode schedules to reduce energy consumption, and configure AirSync settings across the entire fleet.

*An optional Advanced license is required to enable multimedia broadcasting and ECO mode control features.

Sustainable Performance

Reduced Energy Use, Improved Comfort

The interactive flat panel features a smart sensor with Person-in-Room detection, allowing the display to automatically wake or enter sleep mode based on user presence, helping reduce energy consumption without requiring IT intervention. It also monitors environmental factors such as temperature, humidity, and ambient light to support more comfortable and productive working and learning conditions.

Built for Clarity, Durability, and Hygiene

Designed for shared environments, the laminated glass panel features anti-glare, anti-fingerprint, and antibacterial coatings to deliver a durable, hygienic surface. It keeps the display clean and clear, while ensuring smooth writing and reliable performance in shared environments.

Designed with Sustainability in Mind

The ViewBoard IFP63 Series is engineered for sustainable performance, delivering up to 24% greater energy efficiency than the previous generation. Certified EPEAT Gold and ENERGY STAR, it helps businesses and higher education institutions reduce environmental impact and support long-term sustainability goals.

Techninė specifikacija

Display	
Display diagonal	2.18 m (86")
Touchscreen	Yes
Working area	1895.04 x 1065.96 mm
Display brightness	450 cd/m²
Display number of colours	1.07 billion colours
Display resolution	3840 x 2160 pixels
Anti-glare screen	Yes
HD type	4K Ultra HD
Panel type	ADS
LED backlight	Yes
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Contrast ratio (typical)	5000:1
Response time	8 ms
Maximum refresh rate	60 Hz
Touch technology	Multi-touch
Touchscreen type	Projected Capacitive (PCAP)
Number of simultaneous touchpoints	50
Touch resolution	32767 x 32767 pixels
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Haze rate	25%
Low Blue Light technology	Yes
Hardness	9H
Accuracy touch	Active pen: ±1.0mm, Passive pen: ±1.5mm
Computer system	
Operating system installed	Android
Operating system version	15 EDLA
Built-in processor	Yes
Processor architecture	ARM Cortex A76 + ARM Cortex A55
Processor cores	8
User memory	128 GB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

RAM capacity	32 GB
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
Speaker power	40 W
Built-in subwoofer	Yes
Subwoofer RMS power	20 W
Built-in microphone	Yes
Number of microphone arrays	8
Projector	
Built-in projector	No
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes
Near Field Communication (NFC)	Yes
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Interface module USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	3
USB 2.0 ports quantity	1
USB connector type	USB Type-A, USB Type-B, USB Type-C
HDMI ports quantity	4
USB Type-C ports quantity	3
HDMI version	2.1
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
DisplayPort version	1.2
DisplayPorts quantity	1
Ethernet LAN (RJ-45) ports	2
OPS slot	1
S/PDIF out port	Yes
Microphone connectivity	3.5 mm
Headphone connectivity	3.5 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Audio output	1
RS-232 ports	1
Ergonomics	
Product colour	Black
VESA mounting	Yes
Panel mounting interface	800 x 600 mm
Mean time between failures (MTBF)	50000 h
Performance	
Ambient light sensor	Yes
Humidity sensor	Yes
Proximity sensor	Yes
Temperature sensor	Yes
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
PM2.5 sensor	Yes
Power	
Power consumption (typical)	121.1 W
Power consumption (off)	0.5 W
AC input voltage	100 - 240 V
Energy efficiency class	F
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width	1961.9 mm
Height	1172.5 mm
Depth	79.5 mm
Weight	65.1 kg
Packaging data	
Package width	2110 mm
Package depth	225 mm
Package height	1291 mm
Package weight	84.2 kg
Quantity per pack	1 pc(s)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Packaging content	
USB cable length	1.8 m
Cables included	HDMI, USB, USB Type-C
Remote control included	Yes
Batteries included	Yes
Quick start guide	Yes
Stylus included	Yes
Number of stylus pens	2
Bundled software	Basic Annotation Software: myViewBoard for Android Pro Annotation Software: myViewBoard for Windows (embedded in VPC) Pro Whiteboarding Software: TeamOne Wireless Presentation: AirSync Device Management: Manager ViewSonic Launcher: Yes
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT
Compliance certificates	BSMI, CB, CE, Federal Communications Commission (FCC), NCC, RoHS, WEEE, cTUVus
Certificates	
Waste Electrical and Electronic Equipment (WEEE) compliance	Yes
Logistics data	
Pallet gross width	2.14 m
Pallet gross length	114 cm
Pallet gross height	141.7 cm
Products per master (outer) case	1 pc(s)
Matmenys ir svoris	
Svoris	1,00kg

Energijos efektyvumas ir ekologinis projektavimas

Energijos efektyvumo klasė F A–G

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Viewsonic

ATSAKINGAS ASMUO ES

ViewSonic Technology GMBH
Fürst-Leopold-Platz 1, 46284 Dorsten, DE
viewsonic.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.