

Zyxel USG FLEX 100H techninės įrangos užkarda 3 Gbit/s

Gamintojas: ZYXEL · Modelis: USGFLEX100H-EU0101F · EAN: 4718937622429 · Prekės kodas: 937803



666,90 €

Kaina su PVM

Be PVM: 551,16 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Firewall per pardavimas: 3000 Mbit/ai
- ✓ 40,365 BTU/h
- ✓ Vielinis Eterneto LAN duomenų perdavimo norma: 10,100,1000 Mbit/ai Konsolės prievadas: RJ-45
- ✓ 17 W



Aprašymas

USG FLEX H series provides secure, fast protection with ground-breaking high performance for Virtual Private Networks (VPN) and Unified Threat Management (UTM), a multi-layered approach to protecting the Firewall, the network infrastructure and connected users by leveraging Zyxel's high-performance hardware and state-of-the-art AI Security Cloud architecture.

Ultra High Performance

Ultra-high Performance powered by our next-generation multi-core hardware and Fastpath technology to create ultra-high efficiency. The USG FLEX H series can boost performance by up to 3x, optimizing utilization of its processors and allowing Zyxel to deliver superior performance to satisfy the needs required by demanding and high-speed networks.

Port Flexibility, Multi-G and PoE+

With 2.5 Gbps and 10 Gbps Port Speed options, The USG FLEX H also features software-defined ports, allowing you true flexibility in the configuration and tailoring of each USG FLEX H as required (WAN or LAN).

The USG FLEX H offers up to 2 x 30W PoE+ integrated ports* to help reduce complexity by simplifying installations and reduce install costs by allowing you to power devices like 5G Routers, latest WiFi, or appliances like VoIP Phones directly from the USG FLEX H itself.

Hassle free network management with nebula.

Utilizing nebula, Zyxel's centralised cloud management platform you can configure and deploy network and security devices centrally.

You can manage multiple devices and bring the information from them together, combining it to create a more effective defensive ring around the network.

AI-powered cloud cybersecurity.

Network security constantly evolves to meet the demands of an ever-changing working environment. Block malicious threats and restrict inappropriate user behaviours. The USG FLEX H series leverages AI-powered cloud intelligence to operate multi-layered protection such as sandboxing, anti-malware, DNS/IP/URL filtering, IPS, and application patrol over your premises.

Our new Fast and Powerful uOS.

The USG FLEX H series introduces our latest powerful uOS (Operating System). It is designed to increase security, minimize system response time, apply configuration changes instantly and optimize configuration and security policy management with its new intuitive UX (User Experience) design.

Techninė specifikacija

Duomenų perdavimas	
Užkardos pralaidumas	3 Gbit/s
VPN pralaidumas	0,75 Gbit/s
IPS/IDS per pardavimas	1500 Mbit/ai
Veikimo charakteristikos	
Šilumos sklaida	40,365 BTU/h
Tinklas	
VPN tunelių kiekis	50
VLANs skaičius	16
Saugumas	
VPN palaikymas	IKEv2, IPSec, SSL
Ryšys	
Ryšio technologija	Vielinis
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	1
Ethernet LAN (RJ-45) portų kiekis	8
Eterneto LAN duomenų perdavimo norma	10,100,1000 Mbit/ai
Konsolės prievadas	RJ-45
Energijos valdymas	
Ivesties srovė	2 A
DC įėjimo įtampa	12 V

Galios suvartojimas (maks.)	17 W
-----------------------------	------

Sertifikatai

Atitikties sertifikatai	BSMI, CE, Federalinė ryšių komisija (FCC), Žemos įtampos direktyva (LVD)
-------------------------	--

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)	0 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-30 - 70 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	10 - 90%

Svoris ir matmenys

Plotis	216 mm
Ilgis	143 mm
Aukštis	33 mm
Svoris	1,04 kg

Pakuotės duomenys

Pakuotės plotis	278 mm
Pakuotės aukštis	189 mm
Pakuotės gylis	99 mm
Paketo svoris	1,62 kg

Pakuotės turinys

Pridėti kabeliai	Energija
------------------	----------

Kitos savybės

Firewall per pardavimas	3000 Mbit/ai
VPN per pardavimas	750 Mbit/ai

Matmenys ir svoris

Svoris	1,62kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zyxel Networks Corporation

Industry East RD. IX, Hsinchu Science Park 2,
30076 Hsinchu, TW
zyxel.com

ATSAKINGAS ASMUI ES

Zyxel Networks A/S

Adenauerstraße 20/A3, 52146 Würselen, DE
zyxel.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt