Zyxel USG Flex 500 hardware firewall 1U 2.3 Gbit/s

Gamintojas: **ZYXEL** · Modelis: **USGFLEX500-EU0101F** · EAN: **4718937612055** · Prekės kodas: **937811**

947,90 €

Kaina su PVM

Be PVM: **783,39 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1U Firewall throughput: 2300 Mbit/s
- ✓ 24.1 W
- ✓ 82.23 BTU/h Mean time between failures (MTBF): 529688 h

Aprašymas

Precise Protection. Flexible Subscription.
Introducing the latest USG Series-USG FLEX, delivering higher levels of performance and flexibility! USG FLEX's platform continue its tradition in providing the latest, leading technologies, all while providing a complete suite of security subscription with seamless, scalable gateway connectivity. We want to bring top of the line experience for all business owners!

Higher Precision Detection Uncovers Threats

Zyxel Security Cloud keeps learning from collecting threat information. USG FLEX series supports advanced Anti-Malware with cloud query express mode which expands billions of signatures. The cloud query with high detection rate helps verify the file hash within seconds.

Best Threat
Intelligence Alliance
To ensure your network on getting the best protection, USG FLEX integrates threat intelligence from leading companies and organizations in the cybersecurity field for scaled information about file and real-time threat data. By leveraging a wider malware coverage with multiple-sourced

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

database, this increases the accuracy in threat detection. Web Filtering is also included to safeguard all internet access, especially with CTIRU (Counter-Terrorism Internet Referral Unit) to restrict access to terrorist materials online.

High Assurance
Multi-layered Protection
USG FLEX is designed with multi-layer protection against multiple types of threats from in and out. URL Threat Filter, Anti-Malware, and Intrusion Prevention block external attacks, while Application Patrol and Web Filtering empower you to restrict users' inappropriate application usage or web access, all together safeguarding your network without any unattended gaps.

Flexible
Subscription
for Your Need
USG FLEX security services turn your firewall into a comprehensive security solution. Add Unified Threat Management (UTM) and Hospitality bundled service to get the protection and connectivity that meet your network needs. You can also choose from a single license whenever you need, such as Web Filtering, Anti-Malware, SecuReporter Premium, and more.

Upgrade to Gain
Migrate without Pain
If you still get USG series licenses, now is the time to migrate! USG FLEX provides hassle-free license migration from USG series with auto migration. Upgrade to a whole new 6-in-1 UTM bundle license from your USG existing licenses for more comprehensive protection.

Techninė specifikacija

Data transmission	
Firewall throughput	2.3 Gbit/s
VPN throughput	0.81 Gbit/s
Performance	
Heat dissipation	82.23 BTU/h
Noise level	41.5 dB
Mean time between failures (MTBF)	529688 h
Network	
Number of VPN connections	500
Concurrent SSL/VPN connections (maximum)	150
VPN tunnels quantity	300
Number of VLANs	64
Security	
Security algorithms	IPSEC, SSL/TLS
VPN support	IKEv2, IPSec, SSL, L2TP/IPSec
Management features	
URL filtering	Yes
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2

Ethernet LAN (RJ-45) ports	7
Number of console ports	1
SFP module slots quantity	1
Design	
Rack mounting	Yes
Form factor	1U
Built-in fan	Yes
Power	
Input current	4.17 A
Power consumption (max)	24.1 W
Certificates	
Certification	DCC, CE, C-Tick, LVD
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-30 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	300 mm
Depth	188 mm
Height	44 mm
Weight	1.65 kg
Packaging data	
Package width	351 mm
Package height	152 mm
Package depth	245 mm
Package weight	2.83 kg
Packaging content	
Rack mount kit	Yes
Other features	
Firewall throughput	2300 Mbit/s
VPN throughput	810 Mbit/s
Logistics data	
Harmonized System (HS) code	85176990

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Matmenys ir svoris	
Svoris	2,84kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zyxel Networks Corporation
Industry East RD. IX, Hsinchu Science Park 2,
30076 Hsinchu, TW
zyxel.com

ATSAKINGAS ASMUO ES

Zyxel Networks A/S
Adenauerstraße 20/A3, 52146 Würselen, DE
zyxel.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt