

LevelOne GEP-2021 network switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Black

Gamintojas: **LEVEL ONE** · Modelis: **GEP-2021** · EAN: **4015867223895** · Prekės kodas: **938153**



378,90 €

Kaina su PVM

Be PVM: **313,14 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 16 Gigabit PoE ports, 2 Gigabit ports and 2 Gigabit SFP slots
- ✓ Total PoE power budget: 270W, up to 30W per port
- ✓ IEEE 802.3af/at PoE compliant to simplify deployment and installation
- ✓ Supports DIP switch configuration for VLAN mode and Default mode features
- ✓ Supports port-based VLAN
- ✓ Connection distance of up to 250m at 10Mbps data rate
- ✓ 6KV surge protection, 6KV/8KV ESD protection

Aprašymas

The GEP-2021 is LevelOne latest generation of 20-Port Gigabit Unmanaged PoE Switch, with 2 Gigabit RJ45 and 2 Gigabit SFP Uplink ports. also offers powerful DIP switch button configuration for VLAN mode and Default mode features. Switch that gives you a high-performance, low-cost, easy-to-use, seamless upgrade to boost your network to 1000Mbps. Increase the speed of your network backbone to a massive 40Gbps and bring Gigabit speeds all the way to your computers.

The GEP-2021 PoE-enabled switches features an IEEE 802.3af/at certified, better PoE functionality with 270W PoE power budget and usability. supports up to 16 ports at 15.4W, or 9 ports at 30 W to meet the increasing power demands of users. giving you flexibility in power allocation for a variety of powered devices enabling you to scale your operations to meet business growth, operational cost savings, and ease of management.

Techninė specifikacija

Management features

Switch type

Unmanaged

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	20
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Fast Ethernet (copper) ports quantity	16
Gigabit Ethernet (copper) ports quantity	2
SFP module slots quantity	2

Network

Networking standards	IEEE 802.1ab, IEEE 802.1af, IEEE 802.3, IEEE 802.3at, IEEE 802.3u, IEEE 802.3z
10G support	No
VLAN support	Yes

Optical fiber

Transmission distance (max)	0.25 km
-----------------------------	---------

Data transmission

MAC address table	8000 entries
Packet buffer memory	29.8 MB

Design

Rack mounting	Yes
Stackable	Yes
Form factor	1U
Product colour	Black
LED indicators	Yes

Performance

Built-in processor	Yes
Processor model	Realtek RTL8382L
Flash memory	4 MB
MTBF (PoE)	250000 h

Power

AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Surge protection	Yes
Surge protection voltage	6 kV

Power over Ethernet (PoE)

Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	16

Power over Ethernet (PoE) power per port	15.4 W
Total Power over Ethernet (PoE) budget	270 W
Operational conditions	
Operating temperature (T-T)	-10 - 85 °C
Storage temperature (T-T)	-40 - 90 °C
Operating relative humidity (H-H)	0 - 90%
Heat dissipation	86.435 BTU/h
Weight & dimensions	
Width	285 mm
Depth	442 mm
Height	44 mm
Weight	4 kg
Packaging content	
Cables included	AC
Quick start guide	Yes
Rack mount kit	Yes
Packaging data	
Package type	Box
Package width	395 mm
Package depth	90 mm
Package height	530 mm
Package weight	4.8 kg
Technical details	
Pallet net height	140.4 cm
Pallet net length	80 cm
Pallet net width	120 cm
Certificates	
Certification	CE, RoHS
Logistics data	
Country of origin	China
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Svoris	4,70kg

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LevelOne

ATSAKINGAS ASMUO ES

Digital Data Communications GmbH

Im Defdahl 10 F, 44141 Dortmund, DE

level1.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt