TP-Link UA430C card reader USB 3.2 Gen 1 (3.1 Gen 1) Type-C Grey

Gamintojas: **TP-LINK** · Modelis: **UA430C** · EAN: **1210002602242** · Prekės kodas: **938391**



23,90 €

Kaina su PVM

Be PVM: **19,75 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt







Aprašymas

Superfast 5 Gbps Transmission with USB 3.0

USB 3.0 enables data transfer rates of up to 5Gbps for faster Sync times, backward compatible with USB 2.0/ 1.1. Enjoy this faster speeds to transfer an HD video in seconds.

Simultaneously Read/Write Dual UHS-I Cards

With two card slots, you can easily transfer data form SD and microSD cards simultaneously, or from one card to the other. The UA430C is compatible with UHS-I cards, making it easy to quickly move large files from cards with a super fast data reading speed up to 200MB/s.

More Flexible with 150mm Braided Cable

The flexible braided cable can free up more space and do not occupy other port locations for better usage performance.

Plug & Play And High Compatibility

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Just plug and use without any complex step on your USB-C devices like desktops, laptops, phones and tables which support Mac OS, Windows, iPadOS, iOS, Android, Linux OS, and Chrome OS.

Compact & Portable Design

The aluminum alloy case and braided cable make UA430C more durable, while its compact design enhances portability. Experience improved convenience and durability, bringing you a better user experience.

Techninė specifikacija

Performance	
Compatible memory cards	MicroSD (TransFlash), SD
Internal	No
Product colour	Grey
Certification	CE, FCC, RoHS, BSMI
Ports & interfaces	
Interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Weight & dimensions	
Width	48.4 mm
Depth	34.2 mm
Height	11.5 mm
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Mobile operating systems supported	iOS
Matmenys ir svoris	
Svoris	0,08kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt