Lindy 15m Active HDMI 18G Cable

Gamintojas: **LINDY** · Modelis: **41072** · EAN: **4002888410724** · Prekės kodas: **941477**



91,90 €

Kaina su PVM

Be PVM: **75,95 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Creates a long distance HDMI connection between a 4K source device and display
- ✓ Delivers reliable 4K@60Hz resolutions over longer cable distances
- ✓ Active HDMI technology built into the connector for flexible installation
- ✓ Full support for HEC, ARC and CEC compliant devices
- ✓ 2 year warranty



Aprašymas

Lindy's Active HDMI 2.0 18G cables combine sleek, modern design with superior performance to provide high quality, reliable HDMI transmission over long distances. Lindy's range of active cables come with an in-built chipset that amplifys the users signal to create a much longer HDMI transmission that isnt possible with standard passive HDMI cables, while also avoiding the need for additional expensive extenders or repeaters. With the active chipset built discreetly into the stylishly designed headshell, these cables can easily be installed through conduit or tighter spaces. These premium cables also support the full 18G HDMI bandwidth to display 4096x2160@60Hz resolutions with additional support for the REC.2020 colour space that covers the wider colour gamut required for high-dynamic range content, for enhanced contrast and more lifelike colour.

Complying to the HDMI 2.0 cable specification, these cables are ideal for use with a variety of source devices including set-top boxes, HDMI media players or PCs when connected to modern displays or projectors. Perfect for use in eye-catching retail displays, informational digital signage or immersive video playback in sports bars, music venues or high end home cinemas.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

With support for a range of multi-channel audio formats, including Dolby® True HD and DTS-HD Master Audio, these cables also ensure an impressive three-dimensional surround sound performance when connected to an amplifier's speaker system. CEC functionality also allows many of the source device's settings to be controlled via the display or projectors controls to provide a simple and effective control solution, while avoiding the necessity for several remote controls.

Lindy's active cables should be connected in accordance with the instructions for the optimum experience. The connector marked andldquo;displayandrdquo; must be connected to the monitor or screen. Failure to connect the cable in the correct manner will result in no signal. Some projectors have recessed HDMI sockets, please ensure they can accommodate the connector used on this cable.

Active HDMI cables cannot be connected together or 'daisy chained'.

Techninė specifikacija

Features	
Cable length	15 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	2
Supported graphics resolutions	4096 x 2160
Supported video modes	2160p
Dolby technologies	DTS-HD Master Audio, Dolby TrueHD
Data transfer rate	18 Gbit/s
AWG wire size	28
Contact material	Phosphor bronze
Connector housing material	Acrylonitrile butadiene styrene (ABS)
Connector material	Gold
Cable material	Copper
Cable type	Round cable
Cable jacket material	Polyvinyl chloride (PVC)
Magnetically shielded	Yes
Shield material	Aluminium
Bending radius (min)	10 cm
Colour sampling	4:4:4

Nominal attenuation	300KHz~825MHz 5dB, 2.475GHz~4.125GHz 12dB~20dB
Operational conditions	
Operating temperature (T-T)	-20 - 80 °C
Storage temperature (T-T)	-10 - 60 °C
Certificates	
Compliance certificates	RoHS
Certification	CE, UKCA, FCC, RoHS, REACH, UL
Weight & dimensions	
Cable diameter	8.6 mm
Connector 1 dimensions (WxDxH)	21.68 x 43 x 13.22 mm
Connector 2 dimensions (WxDxH)	21.68 x 43 x 13.22 mm
Packaging data	
Quantity per pack	1 pc(s)
Package type	Polybag
Logistics data	
Master (outer) case GTIN (EAN/UPC)	4002888410724
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Matmenys (I × P × A)	26,00cm × 24,00cm × 5,00cm

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.