ATEN HDMI Extender over 1 CAT5e/6 Cable (100m) ,4Kx2K, 3 level cascadable / HDBaseT

Gamintojas: **ATEN** · Modelis: **VE812** · EAN: **4719264640049** · Prekės kodas: **941592**



347,90 €

Kaina su PVM

Be PVM: **287,52 €**

Sandėlyje

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extends the distance between HDMI source and HDMI display
- ✓ Implements HDBaseT extension technology using only one Cat 5e cable to connect the transmitter and receiver
- ✓ HDMI (3D, Deep Color, 4kx2k); HDCP Compatible
- ✓ Anti-jamming – resists signal interference during high-quality video transmission using HDBaseT technology
- ✓ Long distance transmission - up to 100m
- ✓ Supports resolutions of up to Ultra HD 4kx2k and 1080p Full HD
- ✓ Supports up to 340MHz bandwidth for high performance video
- ✓ Supports Dolby True HD and DTS HD Master Audio
- ✓ Built-in 8KV / 15KV ESD protection (Contact voltage 8KV; Air voltage 15 KV)







Aprašymas

The VE812 HDMI HDBaseT Extender enables an HDMI display to be located up to 100 meters away from the source device. It can be conveniently extended using only one Cat 5e cable, which is cost-effective.

The VE812 supports HDMI (3D, Deep Color), Ultra HD (4k x 2k), and is HDCP compatible. Furthermore, the remote EDID pass-through ensures optimum video quality for any HDMI display.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

The VE812 is perfect for the meeting room, home theater or any installation that needs long distance transmission and superior video quality.

Techninė specifikacija

Features	
Type	AV transmitter & receiver
Maximum resolution	4000 x 2000 pixels
Cable types supported	Cat5e
Maximum transfer distance	100 m
LED indicators	Yes
Supported video modes	1080p
Product colour	Black
Ports & interfaces	
RJ-45 input ports	1
RJ-45 output ports	1
HDMI in	1
Number of HDMI outputs	1
DC-in jack	Yes
Power	
Operating voltage	5.3 V
External power adapter	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Weight & dimensions	
Receiver dimensions (WxDxH)	103 x 141.7 x 30 mm
Receiver weight	400 g
Transmitter dimensions (WxDxH)	103 x 141.7 x 30 mm
Transmitter weight	400 g
Technical details	
Compliance certificates	RoHS

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

aten.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt