StarTech.com 2 Port DisplayPort KVM Switch - 4K 60Hz - Compact Dual Port UHD DP 1.2 USB Desktop KVM Switch with 4ft Cables & Audio - Bus Powered & Remote Switching - MacBook ThinkPad

Gamintojas: **STARTECH** · Modelis: **SV211DPUA4K** · EAN: **065030882156** · Prekės kodas: **941622**



150,90 €

Kaina su PVM

Be PVM: **124,71 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ SPACE-SAVING DESIGN: Compact 2 Port DisplayPort KVM Switch w/ built-in cables & remote switching provides USB powered control of two computers from one keyboard, monitor, and mouse
- ✓ 4K VIDEO QUALITY: DP UHD KVM switch supports resolutions up to 4K at 60Hz on a single DisplayPort monitor for maximized viewing space
- ✓ TECH SPECS: Dual Port KVM / DisplayPort 1.2 / 4K 60Hz 3840x2160 / Hotkey, Integrated Remote Push Button, Software / OS Independent / Bus Powered / Analog Audio Switching / DisplayPort/USB Console
- ✓ COMPACT & USER FRIENDLY: 3 ways to switch between PCs (Dell, HP, Apple & Lenovo): Remote push-button, hotkeys, and manual switching; offers space saving design with minimal footprint
- ✓ THE STARTECH.COM ADVANTAGE: Desktop KVM switch comes with a 2-year StarTech.com warranty and free lifetime 24/5 multilingual technical support based in North America on this 2 port KVM switch






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.



Aprašymas

KVM Switch with Audio | 3.5mm Audio Input & Output | DisplayPort 1.2 | USB-Powered

The SV211DPUA4K 2-Port 4K60Hz DisplayPort® Cable KVM Switch with Audio and Remote Switching Control gives you control of two DisplayPort, USB equipped computers with a single monitor, keyboard, mouse and audio peripheral set.

4K60 Picture & Full Audio Support

The DisplayPort KVM switch supports resolutions up to 4K at 60Hz and can drive one large DP display with ease, maximizing viewing space. With support for separate 3.5 mm stereo audio, the KVM switch delivers full audio compatibility across connected computers.

OS Independent

This DP KVM switch is OS independent, meaning it can work with any USB-A and DisplayPort equipped desktop computer or laptop.

Simple to Operate

The switch features a remote push-button on a 1.5 meter (4ft) integrated cable that can be placed in an easily accessible location, as well as keyboard hot-keys, and optional PC or Mac® compatible software for switching between systems.

StarTech.com KVM Switches & Consoles

StarTech.com offers a wide selection of high-quality KVM switches and KVM-related products to help you access your systems more efficiently without the expense and clutter of extra keyboards, mice and monitors.

The SV211DPUA4K is backed by a 2-year StarTech.com warranty and free lifetime multilingual technical support.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	1
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort
Console ports	USB A
DisplayPorts quantity	1
DisplayPort version	1.2
Console USB ports quantity	2

USB connector type	USB Type-A
Audio connections	Yes
Console port	DisplayPort

Performance

HD type	4K Ultra HD
Maximum resolution	3840 x 2160 pixels
Video bandwidth	60 Hz
Scan interval	10,20,30,40,50,60 s
Daisy chain	No
Audio channels	2

Design

Rack mounting	No
Product colour	Black
Housing material	Plastic
Cable length	1.2 m
LED indicators	Yes
Hot keys	Yes
Mean time between failures (MTBF)	1012884 h
Certification	CE, FCC, REACH

Display

Built-in display	No
On Screen Display (OSD)	No

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019
Sustainability	
Compliance certificates	RoHS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	82.2 mm
Depth	97 mm
Height	9 mm
Weight	350 g
Packaging data	
Package width	161 mm
Package depth	250 mm
Package height	65 mm
Packaging content	
Quick installation guide	Yes
Logistics data	
Harmonized System (HS) code	85176200
Master (outer) case width	448 mm
Master (outer) case length	356 mm
Master (outer) case height	350 mm
Products per master (outer) case	20 pc(s)
Other features	
IP control	No
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 16,00cm × 7,00cm
Svoris	0,54kg

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt