StarTech.com HPE J9283B Compatible 3m 10G SFP+ to SFP+ Direct Attach Cable Twinax - 10GbE SFP+ Copper DAC 10 Gbps Low Power Passive Mini GBIC/Transceiver Module DAC Firepower 1040 2930F

Gamintojas: **STARTECH** · Modelis: **J9283BST** · EAN: **065030875097** · Prekės kodas: **943941**



69,90 €

Kaina su PVM

Be PVM: **57,77 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 100% HPE J9283B COMPATIBLE: Works with HPE switches like 5400zl, 1040, 2930F, 5406, and others
- ✓ TECHNICAL SPECS: 3m (9.8ft) / 10 Gbps / Passive Twinax (Copper) / 2x SFP+ Pluggable Connector / 100 Ohm Impedance / 30 AWG Wire Gauge / PVC Cable Jacket / Hot swappable / MSA Compliant
- ✓ TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in Cisco routers and switches
- ✓ OUTSTANDING SUPPORT: Backed by StarTech.com for the life of the cable itself, not your equipment; our cables won't void your OEM support and with access to our Tech Advisors 5/24.
- ✓ WORKS WITH MSA COMPLIANT SWITCHES: Low power 10GbE DAC also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules and transceivers



Aprašymas

Copper SFP+ Cable | 10 Gbps | Passive DAC | Lifetime Warranty

The J9283BST is an HPE J9283B compatible direct-attach copper SFP+ cable that’s designed, programmed and tested to work with HPE® brand compatible switches and routers and complies with MSA industry standards.

This passive Twinax copper cable supports 10 Gigabit Ethernet applications connected through SFP+ (Mini-GBIC) ports. This copper SFP+ cable is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

Designed for high-speed performance, this low-power, low-latency SFP+ cable is a cost-effective alternative to fiber-optic cable assemblies, supporting short-distance applications such as point-to-point in-rack network switch or server connections.

StarTech.com SFP Cables

All StarTech.com SFP & SFP+ cables are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of direct-attach SFP cables and SFP modules, providing the convenience and reliability you need to ensure dependable network performance.

Techninė specifikacija

Features	
Cable length	3 m
Connector 1	SFP+
Connector 2	SFP+
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Jacket material	Polyvinyl chloride (PVC)
InfiniBand protocol	Yes
Data transfer rate	10000 Mbit/s
Plug and Play	Yes
Certificates	
Compliance certificates	RoHS
Certification	CE, FCC, REACH
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-40 - 80 °C
Weight & dimensions	
Weight	124 g
Packaging data	
Package width	198 mm
Package depth	181 mm
Package height	24 mm
Package weight	133 g

Packaging content	
Quantity per pack	1 pc(s)
Logistics data	
Master (outer) case width	264 mm
Harmonized System (HS) code	84733080
Master (outer) case length	348 mm
Master (outer) case height	300 mm
Products per master (outer) case	40 pc(s)

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt