

Lindy 70m Cat.6 HDMI 4K30 and IR Extender with PoC and Loop Out

Gamintojas: **LINDY** · Modelis: **38208** · EAN: **4002888382083** · Prekės kodas: **944890**



75,90 €

Kaina su PVM

Be PVM: **62,73 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extends HDMI and IR Signals up to 70m using a single Cat.6 Cable
- ✓ Supports resolutions up to 3840x2160@30Hz 4:4:4 8bit
- ✓ Features a loop-through HDMI output on the Transmitter for local monitoring
- ✓ Supports power over Cable, only a single power supply is required
- ✓ 2-year warranty



Aprašymas

Cat.6 extenders allow for cost effective, reliable extension of audio or video signals over longer distances that are not possible with passive cable or active repeater solutions.

The Lindy 70m Cat.6 HDMI 4K30 and IR Extender is a simple to use solution which lets the user extend HDMI signals up to 70m using a single low cost Cat.6 U/UTP cable (not included). For added convenience, IR signals (20-60 kHz) can also be extended using the supplied IR receiver and emitter cables.

Supporting 4K resolutions up to 3840x2160@30Hz 4:4:4 8bit, video content can be seen with incredible clarity at distances up to 70m, perfect for use in a variety of AV and digital signage applications in a range of settings including residential setups, education, business, retail and healthcare.

This extender features an HDMI loop-out port on the transmitter for local simultaneous viewing so that a local display can be connected for monitoring or to create an additional viewing zone. To ensure the maximum compatibility when two displays are connected, the EDID data, which determines the supported video and audio formats, can be copied from either the local display connected to the transmitter or the remote display connected to the receiver.

Power over Cable (PoC) functionality enables the extender to operate from a single power supply connected to the transmitter, allowing the receiver to be located where there is limited access to mains power sockets, making it ideal for minimalist, discreet installations.

In addition to PoC functionality the extender's slim design allow it to be easier to install in limited spaces behind flat screen monitors or TVs.

Please Note: The quoted lengths and resolutions are possible with a direct connection between Transmitter and Receiver using good quality Cat.6 solid core cable. Using a different cable type, or introducing wall plates, couplers or patch panels will result in a reduction of possible distances.

Techninė specifikacija

Features	
Type	AV transmitter & receiver
Maximum resolution	3840 x 2160 pixels
Cable types supported	Cat6
Maximum transfer distance	70 m
Chipset	GSV1001
Maximum refresh rate	60 Hz
Extended display identification data (EDID)	Yes
Audio output channels	7.1 channels
Supported graphics resolutions	1920 x 1080 (HD 1080), 3840 x 2160
Bandwidth	10.2 Gbit/s
HDCP	Yes
Material	Metal
HDCP version	1.4
Product colour	Black
Certification	CE, FCC, RoHS, REACH
Ports & interfaces	
Connectivity technology	Wired
RJ-45 input ports	1
RJ-45 output ports	1
HDMI in	1
Number of HDMI outputs	2
HDMI version	1.4
Remote (IR) input	1

Remote (IR) output	1
Power	
Operating voltage	12 V
Input current	1 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 90%
Weight & dimensions	
Width	79.5 mm
Depth	69 mm
Height	16.5 mm
Weight	130 g
Packaging data	
Package width	200 mm
Package depth	70 mm
Package height	113 mm
Package weight	414 g
Packaging content	
AC adapter included	Yes
Manual	Yes
IR receiver included	Yes
Technical details	
Compliance certificates	CE, REACH, RoHS
Matmenys ir svoris	
Matmenys (I × P × A)	21,00cm × 12,00cm × 8,00cm
Svoris	0,55kg

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB

lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE

lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt