

Lindy 8x8 HDMI 4K60 Matrix

Gamintojas: **LINDY** · Modelis: **38334** · EAN: **4002888383349** · Prekės kodas: **944915**



1 823,91 €

Kaina su PVM

Be PVM: **1 507,36 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Switch between 8 HDMI source devices and 8 HDMI displays connected simultaneously
- ✓ Supports resolutions up to 4K 60Hz, with additional support for HDR
- ✓ Allows for flexible and convenient switching between 8 HDMI sources, perfect for commercial and professional settings
- ✓ Easy to use and set up, with an intuitive Web Gui, Remote Control or Push Buttons
- ✓ 2 year warranty



Aprašymas

Matrix Switches are premium solutions for distributing content from multiple source devices to multiple displays. The Lindy 8x8 HDMI 4K60 Matrix supports HDMI 2.0b 18G signals, allowing for the transmission of clear 4K Ultra HD 60Hz resolutions. Additional support for High Dynamic Range ensures video content is displayed with enhanced brightness, greater contrasts and a much wider colour gamut, perfect for digital signage displays in retail, creating informational multi-display setups in education, or distributing content in commercial installations such as cinemas. HDCP 2.2 support ensures there are no issues with a variety of 4K content when connected to source devices including set top boxes, Blu-Ray players and 4K HDR media players.

As well as HDMI audio pass-through, individual Coax and 3.5mm ports allow for a separate connection of digital speaker systems and amplifiers, creating immersive audio experiences to compliment the video content. The Audio Return Channel (ARC) feature allows audio to be sent from a TV to an audio system or soundbar over the same HDMI cable that is used to send video to the TV. This eliminates the need for a separate audio cable and

simplifies the setup process.

The Matrix also features a downscale function for each output port from 4K to Full HD, making installations with older displays hassle free while always ensuring the viewer receives the optimum picture from their display.

This Matrix can be easily controlled via push button switching on the unit, while the included remote control and IR extension also allows the user to have better control over multiple videos and displays, great for trade shows, training presentations or sales demonstrations.

Techninė specifikacija

Features	
Product type	AV matrix switcher
Maximum resolution	3840 x 2160 pixels
Bandwidth	18 Gbit/s
HDCP	Yes
HDCP version	2.2
EDID management	Yes
Audio formats supported	DTS, LPCM
Design	
Housing colour	Black
Housing material	Metal
Control type	Buttons
Certification	CP65
Display	
Built-in display	Yes
Display type	OLED
Ports & interfaces	
HDMI input ports quantity	8
HDMI output ports quantity	8
HDMI version	2.0b
RJ-45 input ports	1
RS-232 ports	1
Audio (L/R) out	8
DC-in jack	Yes
Power	
Power consumption (max)	43 W
Input current	5 A

Output voltage	12 V
Operational conditions	
Operating temperature (T-T)	-10 - 45 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 90%
Technical details	
Warranty period	2 year(s)
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS, UKCA
Sustainability compliance	Yes
Weight & dimensions	
Width	440 mm
Depth	200 mm
Height	45 mm
Weight	2.83 kg
Package width	510 mm
Package type	Box
Package depth	328 mm
Package height	95 mm
Package weight	4.06 kg
Packaging content	
Manual	Yes
Matmenys ir svoris	
Svoris	4,66kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.

Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH

Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)