Lindy 39538 KVM switch Rack mounting Black

Gamintojas: **LINDY** · Modelis: **39538** · EAN: **4002888395380** · Prekės kodas: **944919**



831,90 €

Kaina su PVM

Be PVM: **687,52 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports up to 8 HDMI® 4K 60Hz, USB & Audio equipped computers
- ✓ Built in 2 ports USB 2.0 Hub for sharing additional peripherals
- ✓ Port switching via hotkey, front panel buttons or RS-232 commands
- ✓ TAA compliant






Aprašymas

This advanced KVM Switch has been designed for use with PCs and Macs. It features HDMI® video ports and a two port USB 2.0 hub for connecting and sharing peripherals. With audio support, you can also connect speakers or headsets.

The switch occupies only a single 1U space in a 19 rack and supports screen resolutions of up to 4K Ultra HD 60Hz, great for graphical content in gaming setups, video editing or controlling multiple workstations. It provides 3 switching modes, via keyboard hotkeys, front panel buttons and RS-232 commands.

A local console can be connected to the 2 USB and HDMI® ports on the rear panel while the built-in 2 port USB 2.0 hub saves money on requiring additional devices by sharing peripherals between the connected computers. The unique switching arrangement allows the USB hub to be switched independently of the PCs for uninterrupted printing, scanning or external drive access. Options can be accessed only via keyboard hotkeys or RS-232 commands.

LED indicators show the status of the selected channel.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Please Note: connection cables are not included. HDMI®, USB A to B, and 3.5mm audio cables are required for each connected computer.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	8
Keyboard port type	USB
Mouse port type	USB
Video port type	HDMI
Console ports	HDMI, USB A, 3.5mm headphone
Console USB ports quantity	2
Console HDMI ports quantity	1
Serial port type	DE-9 (DB-9)
Audio connections	Yes
Performance	
HD type	4K Ultra HD
Maximum resolution	3840 x 2160 pixels
HDCP	Yes
HDCP version	2.2
Design	
Rack mounting	Yes
Product colour	Black
Rack capacity	1U
Housing material	Metal
Cascadable	No
Display	
Built-in display	Yes
Display	LED
Power	
Power source	DC
Output voltage	9 V
Output current	2 A
Sustainability	
Compliance certificates	CE, Federal Communications Commission (FCC), UKCA, Trade Agreements Act (TAA), REACH, RoHS

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	300 mm
Depth	164 mm
Height	44 mm
Weight	1.79 kg
Packaging data	
Package width	566 mm
Package depth	104 mm
Package height	245 mm
Package weight	2.06 kg
Package type	Box
Packaging content	
Cables included	RS-232
Manual	Yes
AC adapter included	Yes
Rack mount kit	Yes
Matmenys ir svoris	
Svoris	2,06kg

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.