PATCHBOX .one / Cassette / 8RU / STP / White

Gamintojas: **PATCHBOX** · Modelis: **CONEX8STPWH** · EAN: **4262427630079** · Prekės kodas: **945035**



30,90 €

Kaina su PVM

Be PVM: **25,54 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Keep your rack forever organized
- ✓ Up to 10x faster installation & troubleshooting
- ✓ Up to 50% more space
- ✓ ISO/IEC 11801 Channel Class Ea
- ✓ 10-Year Warranty on patchbox.one & Cables









Aprašymas

The Ultimate Cable Management Solution

The patchbox.one with Cat.6a cables keeps your rack organized, efficient, and ready for the future. Its retractable twisted pair cables are lightweight, flexible, and easy to handle—making installation and maintenance smoother than ever.

Build Your Ideal Rack Setup

Customize your own patchbox.one by filling the patchbox.one / Frame with up to 24 Cable Cassettes—tailored to your exact cable length, type, and connector needs.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Modular, Replaceable, Scalable

Need to adapt your rack? Swap any cassette in seconds—no tools required, no downtime needed.

High-Performance Ethernet

Our Twisted Pair Cat.6a cables deliver up to 10 Gigabit Ethernet, meet ISO/IEC standards, and support PoE (STP) and PoE++ (UTP).

Color-Coded for Clarity

With 8 cable colors to choose from, you can implement a structured, highly organized cabling standard.

Three Length Options

Select from 0.8m, 1.8m, or 2.5m cable variants—perfectly aligned to your rack height and infrastructure needs.

Techninė specifikacija

Features	
Cable length	0.8 m
Cable standard	Cat6a
Cable shielding	U/FTP (STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	White
Connector 1 gender	Male
Connector 2 gender	Male
Connector contacts plating	Gold
Jacket material	Polyvinyl chloride (PVC)
Cable shape	Flat
Conductor material	Copper
AWG wire size	36
Data transfer rate	10000 Mbit/s
Bend radius (min)	1.2 cm
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	Active PoE
Country of origin	Hungary
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Certificates	
Certification	ISO/IEC 11801 Ea Class, ANSI/EIA/TIA-568 Cat 6A Channel
Weight & dimensions	
Width	18 mm
Depth	365 mm
Height	40 mm
Weight	150 g
Packaging content	
Quantity per pack	1 pc(s)
Packaging content	1 x patchbox.one / Cassette / 8RU / STP / White
Packaging data	
Package width	433 mm
Package depth	28 mm
Package height	50 mm
Package weight	200 g
Other features	
Cables included	LAN (RJ-45)

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas 1 objects.icecat.biz/objects/117478144_64484151.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/117478144_64425066.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

PATCHBOX

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.