

PATCHBOX C60SMAOS21231Y InfiniBand/fibre optic cable 1.8 m LC SC OFC Yellow

Gamintojas: **PATCHBOX** · Modelis: **C60SMAOS21231Y** · EAN: **311778770133** · Prekės kodas: **945073**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extendable fiber optic cables for perfect patching
- ✓ Interchangeable modular cassette system
- ✓ Cable stopper for precise adjustment of cable length
- ✓ Integrated cassette labelling
- ✓ OS2 RBS 9µ/125µ, LSZH
- ✓ Connector: LC Duplex - SC Duplex
- ✓ Cable length: 2.5m (46RU)

Aprašymas

PATCHBOX® is the most innovative cabling system for network cabinets ever. No more cable spaghetti, as the fiber optic cables are always available in the correct length. Easy to install and reduced maintenance. Saves massive amounts of time and money. The PATCHBOX® Plus+ Long Range is suitable for up to 46RU with a cable length of 2.5m. Our RoHS conform optic cables with Corning®-fibres are one of the very best on the market. Extractable fibre optic cables for the perfect length. Cable stopper for precise cable length adjustment. Each PATCHBOX® Cassette has its own labelling option. Steel frame for up to 24 PATCHBOX® Cassettes. PATCHBOX® Patchcatch (0RU cable management) also included for free. Easy replacement of PATCHBOX® Cassettes. PATCHBOX® has been designed with speed and simplicity in mind. The installation of the PATCHBOX® and the patching of the 24 cables is on average 8 times faster than the conventional method. Likewise, the typical maintenance work (moves, adds, changes) and the replacement of a switch are even 10 times faster. In addition, the PATCHBOX® enables a higher packing density in the network cabinet compared to the conventional method. This means: More components in your network cabinet with a better overview!

Techninė specifikacija

Features

Cable length	1.8 m
--------------	-------

Cable type	OFC
Connector 1	LC
Connector 2	SC
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Yellow
Jacket material	Low smoke zero halogen (LSZH)
Fibre optic type	OS2
Connector polish type	PC
Full duplex	Yes
Core diameter	9 µm
Cladding diameter	125 µm
Fiber mode structure	Single-mode
Wavelengths supported	1310,1550 nm
Ethernet interface type	10 Gigabit Ethernet, 40 Gigabit Ethernet, 100 Gigabit Ethernet
Data transfer rate	100 Gbit/s
Insertion loss	0.1 dB
Connector material	Ceramic
Certificates	
Certification	CE
Operational conditions	
Operating temperature (T-T)	10 - 45 °C
Packaging data	
Package width	50 mm
Package depth	690 mm
Package height	50 mm
Package weight	400 g
Packaging content	
Quantity per pack	1 pc(s)
Other features	
Material	Polyoxymethylene (POM), Steel
Logistics data	
Country of origin	Hungary

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

PATCHBOX

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt