

PATCHBOX C60SMAOS211X1Y InfiniBand/fibre optic cable 1.8 m LC OFC Yellow

Gamintojas: **PATCHBOX** · Modelis: **C60SMAOS211X1Y** · EAN: **311778770140** · Prekės kodas: **945074**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extendable fiber optic cables for perfect patching
- ✓ Interchangeable modular cassette system
- ✓ Cable stopper for precise adjustment of cable length
- ✓ Integrated cassette labelling
- ✓ OS2 RBS 9µ/125µ, LSZH
- ✓ Connector: LC Duplex - SC Duplex
- ✓ Cable length: 1.8m (30RU)

Aprašymas

PATCHBOX® Cassettes are the heart of every PATCHBOX®. Each PATCHBOX® Cassette contains our unique and patented mechanism that provides state-of-the-art cable management in your network cabinet. The modular PATCHBOX® Cassettes are available in single packs and offer full customization options for the PATCHBOX®. Make sure you combine the PATCHBOX® Cassettes with the matching PATCHBOX® Frame (Plus+ or 365). The PATCHBOX® Cassettes are equipped with RoHS conform optic cables with Corning®-fibres, the most bend insensitive currently available. They are available in 2 different types (OS2 Singlemode / OM4 Multimode) and the following connector types: LC-LC or LC-SC.

Techninė specifikacija

Features	
Cable length	1.8 m
Cable type	OFC
Connector 1	LC
Connector 2	LC

Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Yellow
Jacket material	Low smoke zero halogen (LSZH)
Fibre optic type	OS2
Connector polish type	PC
Full duplex	Yes
Core diameter	9 µm
Cladding diameter	125 µm
Fiber mode structure	Single-mode
Wavelengths supported	1310,1550 nm
Ethernet interface type	10 Gigabit Ethernet, 40 Gigabit Ethernet, 100 Gigabit Ethernet
Data transfer rate	100 Gbit/s
Insertion loss	0.1 dB
Connector material	Ceramic
Certificates	
Certification	CE
Operational conditions	
Operating temperature (T-T)	10 - 45 °C
Packaging data	
Package width	50 mm
Package depth	690 mm
Package height	50 mm
Package weight	400 g
Packaging content	
Quantity per pack	1 pc(s)
Other features	
Material	Polyoxymethylene (POM), Stainless steel
Logistics data	
Country of origin	Hungary

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

PATCHBOX

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt