

StarTech.com 2 Port Triple Monitor DisplayPort KVM Switch - 4K 60Hz UHD HDR - Desktop DP 1.2 KVM with 2 Port USB 3.0 Hub (5Gbps) & 4x USB 2.0 HID Ports, Audio - Hotkey Switching - TAA

Gamintojas: **STARTECH** · Modelis: **SV231TDPU34K** · EAN: **065030881784** · Prekės kodas: **945266**



514,90 €

Kaina su PVM

Be PVM: **425,54 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **IMPROVE EFFICIENCY:** Switch between two computers with three monitors using USB and DisplayPort video from a single keyboard, monitor, and mouse using keyboard hotkeys or push buttons to switch between active computers
- ✓ **TRIPLE MONITOR 4K 60Hz UHD:** DisplayPort triple screen KVM switch supports up to 4K at 60Hz on three monitors for applications like CAD/CAM, video editing and content creation; works with major brands including Dell, HP, and Lenovo
- ✓ **TECH SPECS:** 2 Port KVM / Triple Display / DisplayPort 1.2 / 3840 x 2160 60 Hz / HDCP 2.2 / HDR Support / 2 Port USB 3.0 Hub / 4x USB HID / Hotkey & Push Button / OS Independent / Stereo Analog + Digital Audio / DP + USB Console
- ✓ **USER-FRIENDLY:** KVM switch with compact & durable steel housing features large buttons & an easily accessible front-mounted integrated USB 3.0 port 5Gbps (USB 3.1/3.2 Gen 1) for sharing USB devices between connected computers
- ✓ **THE STARTECH.COM ADVANTAGE:** This KVM is TAA compliant, and StarTech.com offers a 2-year warranty and free lifetime 24/5 multilingual technical support based in North America





Aprašymas

KVM with USB | Triple Monitor | TAA Compliant | USB 3.0 Hub | DisplayPort 1.2 | Digital & Analog Audio

This 2-port KVM switch combines 4K (60Hz) digital display capabilities with control of two connected computers.

4K 60Hz Picture and Full Audio Support

The DisplayPort KVM switch supports resolutions up to 4K at 60Hz. It drives three large monitors at the full 4K resolution. Includes USB emulation for faster switching times to avoid disrupting your workflow. With support for digital audio (with supporting displays and sources) and separate 3.5 mm stereo audio, the DisplayPort 1.2 KVM switch delivers full audio compatibility.

Integrated USB Hub

The integrated USB 3.0 hub shares two peripherals (in addition to keyboard and mouse) among attached computers as if they were directly connected to your host computer, eliminating the cost of duplicate devices such as printers and scanners.

Windows, Mac & Linux Compatible

While supporting Windows, this DP KVM switch is also compatible with Mac and Linux operating systems.

Easy to Operate

The front-panel pushbuttons make it easy to switch between systems and activate the auto-scan feature. The hotkey functionality makes accessing each system quickly, while a buzzer sound confirms the switch.

StarTech.com offers a wide selection of high-quality KVM switches and KVM-related products to help you access your systems more efficiently without the expense and clutter of extra keyboards, mice, and monitors. This 2-port DisplayPort KVM switch is backed by a 2-year warranty and free lifetime technical support.

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	2
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort
Console ports	3.5mm headphone, DisplayPort, USB A
DisplayPorts quantity	9
DisplayPort version	1.2
Console USB ports quantity	4

USB hub	Yes
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	2
Audio connections	Yes
Headphone outputs	3
DC-in jack	Yes
Performance	
HD type	4K Ultra HD
Maximum resolution	3840 x 2160 pixels
Video bandwidth	60 Hz
Scan interval	3,8,15,30 s
HDCP	Yes
Daisy chain	No
Audio channels	5.1
Number of displays supported	3
Design	
Product colour	Black
Housing material	Steel
LED indicators	Yes
Push button	Yes
Hot keys	Yes
Mean time between failures (MTBF)	156000 h
Certification	CE, RoHS, FCC
Display	
Built-in display	No
On Screen Display (OSD)	No
Power	
Input voltage	100 - 240 V
Input current	1 A
Output voltage	12 V
Output current	3 A
Power consumption (typical)	36 W
Power plug type	Type M
Compatible power plug types	AU, EU, JP, UK, US
Operational conditions	

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	160 mm
Depth	100 mm
Height	98 mm
Weight	850 g
Packaging data	
Package width	187 mm
Package depth	239 mm
Package height	96 mm
Packaging content	
Quick installation guide	Yes
Rubber feet	Yes
Logistics data	
Harmonized System (HS) code	85176200
Master (outer) case width	404 mm
Master (outer) case length	322 mm
Master (outer) case height	284 mm
Products per master (outer) case	6 pc(s)
Other features	
IP control	No
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 19,00cm × 10,00cm

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt