StarTech.com 8-Port DisplayPort KVM Switch with 1U Rack Mount Kit, 4K 60Hz DP 1.2, Push-Button & Hotkey Switching, 4-Port USB Hub, OS Independent, TAA Compliant

Gamintojas: **STARTECH** · Modelis: **R8AD122-KVM-SWITCH** · EAN: **065030907224** · Prekės kodas: **945271**



582,91 €

Kaina su PVM

Be PVM: **481,74 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4K 60HZ KVM SWITCH: Switch between eight DisplayPort-enabled computers to share a keyboard, mouse, 3.5mm audio, USB 2.0 hub (2x front/2x rear), and a 4K 60Hz DisplayPort 1.2 monitor for effortless multi-system management & improved workspace efficiency
- ✓ NO DRIVERS OR SOFTWARE: TAA-Compliant 8-Port KVM Switch enables BIOS level control and works with any operating system including Windows, macOS, ChromeOS, & Linux; Compatible with all hardware platforms such as Intel, AMD, SnapDragon/ARM, & Apple Silicon
- ✓ MULTIPLE SWITCHING OPTIONS: Ensures efficient and user-friendly operation for multi-server administration with switching via push-buttons or hotkeys, an audible buzzer for confirmation, and LEDs for quick visual port selection status
- ✓ RACK MOUNTABLE: KVM switch includes rackmount brackets in the box for installation in 1U of rack space on network racks and is compatible with ANSI/EIA RS-310-D standard 19-inch server racks that have a mounting depth of 6.5inches (165mm) or more
- ✓ OUR ADVANTAGE: Included connectivity tools for IT Pro's and IT help-desk support teams with USB Event Monitoring for logging USB device connections with timestamps, and Windows Layout to restore windows locations upon switching hosts







Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903









Aprašymas

Control up to eight USB and DisplayPort-enabled computers from a single keyboard, mouse, and 4K 60Hz DisplayPort monitor

The 4K 60Hz rackmount KVM switch allows switching between eight DisplayPort-enabled computers, sharing a keyboard, mouse, audio, 4-port USB 2.0 hub, and a 4K 60Hz DisplayPort 1.2 monitor. This enables effortless multi-system management, improved workspace efficiency, and enhanced productivity.

No Drivers or Software

The TAA-Compliant 8-Port KVM Switch is universally compatible, providing BIOS-level control and working with any operating system, including Windows, Windows ARM, macOS, ChromeOS, and Linux. It is also compatible with all hardware platforms such as Intel, AMD, SnapDragon/ARM, and Apple Silicon.

Multiple Switching Options

Ensures efficient and user-friendly operation for multi-server administration with switching via push-buttons or hotkeys, an audible buzzer for confirmation, and LEDs for quick visual port selection status.

Rack Mount Kit Included

The KVM switch offers a space-saving solution for managing multiple servers directly within a rack. It includes rack-mount brackets for installation in 1U of rack space on network racks and is compatible with 19-inch server racks that have a mounting depth of 6.5 inches (165mm) or more. It also complies with ANSI/EIA RS-310-D standards.

To ensure flexibility to choose the best cables for your specific installation, the KVM switch does not include cables. StarTech.com offers a wide variety of DisplayPort, USB, and 3.5mm audio cables in assorted lengths to suit different installation needs.

Enhance Productivity and Device Management with the StarTech.com Connectivity Tools Application

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

• Advanced Windows Layout Utility: Setup and save custom windows layouts.
• USB Event Monitoring Utility: Track and log connected USB devices.

For more information and to download the StarTech.com Connectivity Tools application, please visit: www.startech.com/connectivity-tools

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	8
Keyboard port type	USB
Mouse port type	USB
Video port type	DisplayPort

Console ports	3.5mm headphone, DisplayPort, USB A
DisplayPorts quantity	8
DisplayPort version	1.2
USB 2.0 Type-B ports quantity	8
Console USB ports quantity	4
Audio connections	Yes
Headphone outputs	1
Number of microphone inputs	8
DC-in jack	Yes
Performance	
HD type	4K Ultra HD
Maximum resolution	3840 x 2160 pixels
Data transfer rate (max)	0.48 Gbit/s
Scan interval	10,20,30,40,50,60,70,80,90,100 s
Daisy chain	No
Audio channels	2
Design	
Rack mounting	Yes
Product colour	Black
Rack capacity	1U
Housing material	Zinc
LED indicators	Yes
Push button	Yes
Hot keys	Yes
Mean time between failures (MTBF)	73003 h
Display	
Built-in display	No
On Screen Display (OSD)	No
Power	
Power source	DC
Input voltage	100 - 240 V
Input current	1 A
Output voltage	12 V
Output current	3 A

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Power consumption (typical)	36 W
Power plug type	Type M
Compatible power plug types	AU, EU, UK, US
Sustainability	
Compliance certificates	Federal Communications Commission (FCC), Trade Agreements Act (TAA)
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	164 mm
Depth	300 mm
Height	44 mm
Weight	1.5 kg
Packaging data	
Package width	435 mm
Package depth	288 mm
Package height	70 mm
Package weight	2.3 kg
Packaging content	
Quick installation guide	Yes
Rack mount kit	Yes
Logistics data	
Master (outer) case width	466 mm
Master (outer) case length	390 mm
Master (outer) case height	316 mm
Products per master (outer) case	5 pc(s)
Other features	
Audio support	Yes
IP control	No
Matmenys ir svoris	
Matmenys (I × P × A)	45,00cm × 30,00cm × 8,00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Vaizdo įrašas youtube.com/watch?v=rufzNk3ERrU

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt