StarTech.com 3.3ft (1m) DisplayPort to HDMI Cable - 4K 30Hz - DisplayPort to HDMI Adapter Cable - DP 1.2 to HDMI Monitor Cable Converter - Latching DP Connector - Passive DP to HDMI Cord

Gamintojas: **STARTECH** · Modelis: **DP2HDMM1MB** · EAN: **065030861199** · Prekės kodas: **945414**



28.89€

Kaina su PVM

Be PVM: **23.88€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ PERFORMANCE: 3.3ft (1m) DisplayPort 1.2 to HDMI 1.4 adapter cable connects a DP desktop/laptop to an HDMI monitor, projector or TV / Supports UHD 4K 30Hz (3840x2160) and 1080p video, 7.1ch Audio, HDCP 1.4 & DPCP
- ✓ HOST COMPATIBILITY: DisplayPort to HDMI cable is tested for compatibility with DP++ source; Passive converter cable supports DP++ source connector incl workstations, desktops (AMD/Nvidia video card), laptops, small form factor computers & docking stations
- ✓ INTEGRATED DISPLAY CABLE: DisplayPort to HDMI adapter cable has flexible design w/ adapter chip built into HDMI connector reducing clutter & providing a tidy install in the office or home office; 3.3' (1m) cable length for easy routing and install
- ✓ LATCHING DISPLAYPORT CONNECTOR: DP to HDMI cable features a latching DP connector to prevent accidental disconnection from the host DP port; With chipset built into HDMI connector it minimizes signal loss, providing a crystal clear image
- ✓ EASY TO USE: With no software or drivers required, the DisplayPort to HDMI cord is OS independent; DP male to HDMI male cable






Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Eliminate clutter by connecting your PC directly to an HDMI display using this short cable

This 3-foot DisplayPort™ to HDMI® adapter cable lets you connect your DisplayPort equipped Ultrabook™, laptop or desktop computer to an HDMI television, monitor or projector with no additional adapters or cables required. The passive adapter supports video resolutions up to Ultra HD 4K.

Astonishing picture quality

This adapter cable ensures you can maintain an astonishing picture quality, four times the resolution of 1080p, when converting DisplayPort to HDMI. The adapter is also backward compatible with lower resolution displays and video sources. With support for high-definition resolutions of 1080p and 720p, you can future-proof your existing setup for 4K video.

Hassle-free setup

For the simplest and most discreet installation, this DP to HDMI adapter connects directly from your DisplayPort video source to the HDMI port on your display. It doesn't need a power source, unlike some converter dongles that require active power and separate bulky video cabling.

Clutter-free installation

At 3ft in length, this adapter cable delivers a compact connection that eliminates excess to ensure a tidy, professional installation. For longer installations, we also offer a 6 ft DP to HDMI cable (DP2HDMM2MB), enabling you to choose the right cable length for your custom installation needs.

The DP2HDMM1MB is backed by a 3-year StarTech.com warranty and free lifetime technical support.

Techninė specifikacija

Features	
Cable length	1 m
Connector 1	DisplayPort
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
HDMI version	1.4
HDCP	Yes
HDCP version	1.4
DisplayPort version	1.2
DisplayPort Content Protection (DPCP)	Yes
Maximum resolution	3840 x 2160 pixels
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)

Supported video modes	1080p, 720p
Maximum refresh rate	30 Hz
Product colour	Black
Supported audio channels	7.1
Plug and Play	Yes
Converter type	Passive video converter
Country of origin	China
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 85%
Certificates	
Compliance certificates	CE, RoHS
Certification	RoHS, CE, FCC
Weight & dimensions	
Weight	49.6 g
Width	21 mm
Depth	1010 mm
Height	12 mm
Packaging data	
Package width	199 mm
Package depth	148 mm
Package height	19 mm
Package weight	60 g
Packaging content	
Quantity per pack	1 pc(s)
Logistics data	
Harmonized System (HS) code	84733080
Master (outer) case width	471 mm
Master (outer) case length	429 mm
Master (outer) case height	424 mm
Products per master (outer) case	240 pc(s)
Other features	
Supported resolutions	4000 x 2000 1920 x 1200 1920 x 1080 1280 x 720

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Matmenys ir svoris	
Matmenys (I × P × A)	19.00cm × 15.00cm × 2.00cm
Svoris	0.07kg

Dokumentai ir vaizdo įrašai

› Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

StarTech.com Ltd.
Artisans Crescent 45, N5V 5E9 Ontario, London, CA
startech.com

EU RESPONSIBLE PERSON

StarTech.com Limited
Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt