

StarTech.com USB VGA KVM Console Extender over CAT5 UTP (500 ft) - TAA

Gamintojas: **STARTECH** · Modelis: **SV565UTPUEU** · EAN: **065030834506** · Prekės kodas: **945492**



231,90 €

Kaina su PVM

Be PVM: **191,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Can be used with a single computer or connected to an existing KVM switch
- ✓ Easy installation using industry standard UTP network cable
- ✓ Cables Included for a ready out of the box setup
- ✓ Intuitive hot-key commands
- ✓ Supports auto-switching between host and remote users or dedicated control
- ✓ USB computers are supported at the host and remote locations (USB keyboard and mouse required for remote console)
- ✓ Supports most combo keyboard and mouse sets (including Wireless)



Aprašymas

Operate a USB & VGA KVM or PC over 500ft as if it were right in front of you

The SV565UTPUEU USB VGA KVM Console Extender over CAT5 UTP (500 ft) lets you control a server, computer or multiple computers (connected through KVM Switch) over a standard Cat5 or Cat6 UTP network cable connection, at distances of up to 500 ft (150 m) away. PC connection cables are included with this product for a ready out of the box solution. You can use your existing keyboard, mouse, and monitor to access both the server room and your office computer, saving space and avoiding the need for a dedicated remote console by allowing you to switch between workstation view and KVM view at the remote location.

This product is TAA compliant and backed by a Startech.com 2-year warranty with free lifetime technical support.

Techninė specifikacija

Features	
Type	Transmitter & receiver
Connectivity technology	Wired
Maximum transfer distance	150 m
Rack mounting	No
Product colour	Black
Plug and Play	Yes
Certification	CE, FCC, RoSH
Transmitter	
Transmitter video port type	VGA
Transmitter local video port	Yes
Transmitter local video port type	VGA
Ports & interfaces	
USB port type	USB Type-A
USB 2.0 ports quantity	4
RJ-45 ports quantity	2
Power	
Power plug type	Type M
AC input voltage	100 - 240 V
Input current	0.2 A
AC adapter output voltage	9 V
AC adapter output current	0.6 A
Power consumption (transmitter) (max)	5.4 W
Power consumption (receiver) (max)	5.4 W

Weight & dimensions

Transmitter width	15.5 cm
Transmitter depth	7.5 cm
Transmitter height	2 cm
Transmitter weight	299 g
Receiver width	15.5 cm
Receiver depth	7.5 cm
Receiver height	2 cm
Receiver weight	299 g

Packaging data

Package width	253 mm
Package depth	299 mm
Package height	86 mm
Package weight	1.7 kg

Packaging content

AC adapter included	Yes
Cables included	KVM
Manual	Yes

Operational conditions

Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%

Technical details

Maximum resolution	1280 x 1024 pixels
Power requirements	230 AC
Weight	299 g

Logistics data

Harmonized System (HS) code	84733080
Master (outer) case width	510 mm
Master (outer) case length	320 mm
Master (outer) case height	295 mm
Products per master (outer) case	6 pc(s)

Matmenys ir svoris

Matmenys (I × P × A)	30,00cm × 25,00cm × 9,00cm
----------------------	----------------------------

Svoris

1,40kg

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt