

StarTech.com Cisco SFP-10G-LR-S Compatible SFP+ Module - 10GBASE-LR - 10GbE Single Mode Fiber SMF Optic Transceiver - 10GE Gigabit Ethernet SFP+ - LC 10km - 1310nm - DDM Cisco Firepower, ASR9000, C9300 - TAA

Gamintojas: **STARTECH** · Modelis: **SFP10GLRSTTA** · EAN: **065030867733** · Prekės kodas: **948004**



118,89 €

Kaina su PVM

Be PVM: **98,26 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **100% CISCO SFP-10G-LR-S COMPATIBLE:** Works with Cisco switches like Firepower, ASR9000, C9300, C3850, C9500 and others
- ✓ **TECHNICAL SPECS:** 10GBASE-LR - 10 Gbps - Single Mode (SMF) - LC Connector - 1310nm - Digital Diagnostic Monitoring (DDM) - Distances up to 10km (6.2mi)
- ✓ **TESTED FOR OEM HOST COMPATIBILITY:** Hot-swappable in Cisco routers and switches; DDM support reports the transceiver's status to most SNMP network management tools
- ✓ **WORKS WITH MSA COMPLIANT SWITCHES:** Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules
- ✓ **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this SFP module is backed for life (lifetime of module, not network switch), including free lifetime 24/5 multi-lingual technical assistance.



Aprašymas

10 Gbps | Single Mode Fiber | LC | 10 km (6.2 mi) | TAA | Lifetime Warranty

The SFP10GLRST is a TAA compliant Cisco SFP-10G-LR compatible fiber transceiver module that has been designed, programmed and tested to work with Cisco™ brand switches and routers. It delivers dependable 10 GbE connectivity over fiber cable, for 10GBASE-LR compliant networks, with a maximum distance of up to 10 km (6.2 mi).

Technical Specifications:

- Wavelength: 1310nm
- Maximum Data Transfer Rate: 10 Gbps
- Type: Single Mode Fiber
- Connection Type: LC Connector
- Maximum Transfer Distance: 10 km (6.2 mi)
- MTBF: 1,203,430 hours
- Power Consumption: Less than 1 Watt
- Digital Diagnostics Monitoring (DDM): Yes

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

SFP modules

We offer a wide variety of SFP transceiver modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

Techninė specifikacija

Performance	
SFP transceiver type	Fiber optic
Maximum data transfer rate	10000 Mbit/s
Interface type	SFP+
Single-mode fiber (SMF) supported	Yes
Fiber optic connector	LC
SFP transceiver standard	LR
Maximum transfer distance	10000 m
Wavelength	1310 nm
Networking standards	IEEE 802.3ae
Duplex system	Full
Digital Diagnostics Monitoring (DDM)	Yes
Features	
Product colour	Silver
Housing material	Zinc steel
Hot-swap	Yes

Mean time between failures (MTBF)	1203430 h
-----------------------------------	-----------

Power

Power consumption (typical)	1 W
-----------------------------	-----

Certificates

Compliance certificates	RoHS
-------------------------	------

Certification	CE, FCC, UL, TAA
---------------	------------------

Operational conditions

Operating temperature (T-T)	0 - 70 °C
-----------------------------	-----------

Storage temperature (T-T)	-40 - 85 °C
---------------------------	-------------

Operating relative humidity (H-H)	5 - 95%
-----------------------------------	---------

Weight & dimensions

Width	13.3 mm
-------	---------

Depth	57 mm
-------	-------

Height	10 mm
--------	-------

Weight	19 g
--------	------

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width	78 mm
---------------	-------

Package depth	118 mm
---------------	--------

Package height	34 mm
----------------	-------

Package weight	100 g
----------------	-------

Logistics data

Master (outer) case width	342 mm
---------------------------	--------

Master (outer) case length	644 mm
----------------------------	--------

Harmonized System (HS) code	85369010
-----------------------------	----------

Master (outer) case height	282 mm
----------------------------	--------

Products per master (outer) case	150 pc(s)
----------------------------------	-----------

Matmenys ir svoris

Svoris	0,06kg
--------	--------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt