# MSI MAG 272QP QD-OLED X50 computer monitor 67.3 cm (26.5") 2560 x 1440 pixels Wide Quad HD Black

Gamintojas: **MSI** · Modelis: **9S6-3CD79A-032** · EAN: **4711377307208** · Prekės kodas: **948485**




## 757,90 €

Kaina su PVM

Be PVM: **626,36 €**

**Sandėlyje**

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ The latest 3rd-Gen QD-OLED Panel – With stunning image quality and fast response time
- ✓ Fastest 0.03ms GtG response time and 500Hz refresh rate
- ✓ QD Premium Color – Ensures the color meets the market standard – Delta E≤2
- ✓ Incredible HDR visual – VESA DisplayHDR True Black 500
- ✓ Crystal-Clear Motion – VESA ClearMR 21000 certified
- ✓ MSI OLED Care 2.0 – Reduced the risk of OLED image sticking / burn-in
- ✓ Console Mode – Optimized for seamless compatibility with gaming consoles like PS5 and Xbox Series X/S
- ✓ 3-Year Burn-In Warranty – Including coverage for OLED burn-in










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.






## Aprašymas

Visualize your victory with the MAG 272QP QD-OLED X50 gaming monitor. Equipped with the latest 3rd-gen QD-OLED panel and features a blazing-fast 500Hz refresh rate, it delivers an elevated gaming experience like never before. The 26.5-inch high-performance display offers a lightning-fast 0.03ms (GtG) response time, ensuring ultra-smooth, crystal-clear visuals. Certified by VESA for ClearMR 21000 and DisplayHDR True Black 500, it guarantees stunning image quality and reduced motion blur. OLED Care 2.0 technology helps prevent burn-in, extending the panel’s lifespan. Console gamers are also covered, with HDMI 2.1 ports supporting 48Gbps bandwidth, 120Hz refresh rate, VRR, and ALLM for a next-gen console experience.

MSI's mainstream MAG series epitomizes stability and durability and is built to withstand the most intense gaming sessions. The entire lineup features robust construction with metallic-like hardness and excellent heat dissipation, ensuring stability for all critical gaming components.

**Smarter 24-Hour OLED Refresh**
**Protection Without Disruption**
The panel refresh cycle has been extended from 16 to 24 hours, reducing interruptions during gameplay or work. Users will only see a reminder 30 minutes before the refresh, ensuring minimal disruption. The refresh still activates automatically when the monitor enters standby or powers off, maintaining full OLED protection without compromising your experience.

## New EOTF Boost HDR Mode

MSI QD-OLED monitors introduce EOTF Boost Mode, a new HDR feature optimized for higher brightness. Compared to Peak 1000 nits mode, EOTF Boost delivers greater luminance under the same APL (Average Picture Level) conditions. When enabled, it enhances brightness performance and outperforms Peak 1000 nits mode.

## Extreme Refresh Rate, Sharper Gameplay

The ultra-fast 500Hz refresh rate minimizes motion blur and enhances clarity during high-speed action, delivering ultra-precise visuals that help you track, aim, and react with confidence.

## Confidence Guaranteed

MSI OLED monitors are designed for long-lasting, breathtaking visuals. The custom heatsink design and advanced graphene film improve heat dissipation, while dedicated software to reduce the chances of burn-in over time.

## Techninė specifikacija

| | |
|---|---|
| **Display** | |
| Display diagonal | 67.3 cm (26.5") |
| Display resolution | 2560 x 1440 pixels |
| Native aspect ratio | 16:9 |
| Display technology | QD-OLED |
| Touchscreen | No |

| | |
|---|---|
| HD type | Wide Quad HD |
| Panel type | OLED |
| Response time | 1 ms |
| Screen shape | Flat |
| Contrast ratio (typical) | 1500000:1 |
| Maximum refresh rate | 500 Hz |
| Display number of colours | 1.07 billion colours |
| Display brightness (peak) | 500 cd/m² |
| Display brightness (typical) | 300 cd/m² |
| Anti-glare screen | Yes |
| Viewing angle, horizontal | 178° |
| Viewing angle, vertical | 178° |
| Pixel pitch | 0.2292 x 0.2292 mm |
| Horizontal scan range | 31.2 - 835 kHz |
| Vertical scan range | 48 - 500 Hz |
| Viewable size, horizontal | 59 cm |
| Viewable size, vertical | 33.4 cm |
| Display diagonal (metric) | 69 cm |
| Colour depth | 8 bit |
| Colour gamut standard | DCI-P3 |
| Colour gamut | 99% |
| sRGB coverage (typical) | 138% |
| Adobe RGB coverage | 98% |
| DCI-P3 coverage | 99% |
| **Performance** | |
| NVIDIA G-SYNC | No |
| AMD FreeSync | Yes |
| AMD FreeSync type | FreeSync Premium Pro |
| VESA Adaptive Sync support | Yes |
| Flicker-free technology | Yes |
| Low Blue Light technology | Yes |
| **Multimedia** | |
| Built-in speaker(s) | No |
| Built-in camera | No |
| **Design** | |

| | |
|---|---|
| Market positioning | Gaming |
| Product colour | Black |
| Frameless design | Yes |
| **Ports & interfaces** | |
| Built-in USB hub | No |
| HDMI | Yes |
| Headphone out | Yes |
| USB Type-C downstream ports quantity | 1 |
| USB Type-C DisplayPort Alternate Mode | Yes |
| USB Power Delivery (USB PD) | Yes |
| USB Power Delivery up to | 15 W |
| HDMI ports quantity | 2 |
| HDMI version | 2.1 |
| DisplayPorts quantity | 1 |
| DisplayPort version | 1.4a |
| Headphone outputs | 1 |
| DC-in jack | Yes |
| **Ergonomics** | |
| VESA mounting | Yes |
| Cable lock slot | Yes |
| Height adjustment | Yes |
| Panel mounting interface | 100 x 100 mm |
| Cable lock slot type | Kensington |
| Adjustable height (max) | 11 cm |
| Pivot | Yes |
| Pivot angle | -90 - 90° |
| Swivelling | Yes |
| Swivel angle range | -30 - 30° |
| Tilt adjustment | Yes |
| Tilt angle range | -5 - 20° |
| **Power** | |
| Energy efficiency class (SDR) | F |
| Energy efficiency class (HDR) | G |
| Energy consumption (SDR) per 1000 hours | 25.4 kWh |
| Energy consumption (HDR) per 1000 hours | 29 kWh |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Power consumption (standby) | 0.5 W |
| Power consumption (off) | 0.3 W |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |
| Power supply type | Internal |
| Energy efficiency scale | A to G |
| **Weight & dimensions** | |
| Width (with stand) | 610 mm |
| Depth (with stand) | 242 mm |
| Height (with stand) | 532 mm |
| Weight (with stand) | 8 kg |
| Width (without stand) | 610 mm |
| Depth (without stand) | 69 mm |
| Height (without stand) | 356.4 mm |
| **Packaging data** | |
| Package width | 820 mm |
| Package depth | 169 mm |
| Package height | 513 mm |
| Package weight | 11.5 kg |
| Package type | Box |
| **Packaging content** | |
| Cables included | DisplayPort, HDMI, Power |
| Quick start guide | Yes |
| **Other features** | |
| Brand specific technologies | MSI OLED Care 2.0, QD Premium Color |
| Warranty period | 3 year(s) |
| **Matmenys ir svoris** | |
| Svoris | 11,33kg |

## Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė F A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

## Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

## Gamintojo ir saugos informacija

GAMINTOJAS

**Micro-Star Int'l Co.**
Lide St., Zhonghe Dist. No. 69, 235 New Taipei City, TW
msi.com

ATSAKINGAS ASMUO ES

**Mystar Computer B.V.**
Science Park Eindhoven 5706, 5692 ER Son, NL
msi.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt