Equip Cat.6A RJ45 Pass Through Plug, 100pcs/Set

Gamintojas: **EQUIP** · Modelis: **121174** · EAN: **4015867244302** · Prekės kodas: **948555**



21,90 €

Kaina su PVM

Be PVM: **18,10 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Faster Installation: As wires can be trimmed after insertion, it saves time on precision cutting compared to traditional connectors.
- ✓ Improved Accuracy: The ability to pull the cable jacket further into the connector reduces the amount of untwisted wire, improving signal integrity and reducing crosstalk.
- ✓ Crystal-Clear Housing: The transparent material makes it easy to check the wire order, minimizing connection errors.
- ✓ Versatile Compatibility: Typically compatible with both solid and stranded 23–26AWG cables.
- ✓ Gold-Plated Contacts: These provide high-quality conductivity, improved durability, and anti-oxidation properties.
- ✓ Selling unit: 100pcs/Pack


















Aprašymas

The Equip 121174 Cat.6A RJ45 Pass Through Plug is built for fast, accurate, and reliable termination of Cat.6A Ethernet cables. Its pass-through design allows conductors to be inserted through the connector and out the front, enabling installers to easily verify correct wiring order before

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

crimping, reducing errors and improving installation efficiency.

Supporting Cat.6A performance, this 8P8C UTP connector is suitable for 24-27 AWG cables with a maximum cable diameter of 6.5 mm and maximum insulated wire diameter of 1.2 mm. It ensures stable 10 Gigabit Ethernet connections for professional networking.

Supplied in a 100 pcs/pack, this pass-through plug is ideal for creating custom-length Cat.6A patch cables in data centers, office installations, and high-bandwidth structured cabling environments.

Techninė specifikacija

Features	
Connector(s)	RJ-45
Product colour	Transparent
Connector gender	Male
Connector form factor	Straight
Cable standard	Cat6a
Cable shielding	U/UTP (UTP)
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Weight	1.5 g
Width	11.7 mm
Depth	22.4 mm
Height	10.8 mm
Packaging data	
Quantity per pack	100 pc(s)
Package width	275 mm
Package depth	175 mm
Package height	50 mm
Package weight	154 g
Package type	Polybag
Technical details	
Cable diameter	6.5 mm
Wire diameter	1.08 mm
Logistics data	
Country of origin	China
Customs product code (TARIC)	8536901000

Master (outer) case width	500 mm
Master (outer) case length	350 mm
Master (outer) case height	270 mm
Master (outer) case gross weight	16.2 kg
Products per master (outer) case	100 pc(s)

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Atitikties deklaracija

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.