Conceptronic HUBBIES22G 4-Port USB 3.2 Gen 1 Hub, 2 x USB-C & 2 x USB-A Ports, 5Gbps, USB-C PD 100W

Gamintojas: **CONCEPTRONIC** · Modelis: **HUBBIES22G** · EAN: **4015867244265** · Prekės kodas: **948561**



24,90 €

Kaina su PVM

Be PVM: **20,58 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4-in-1 Expansion: Transforms a single USB-C port into 2 × USB-C and 2 × USB-A ports
- ✓ USB 3.2 Gen 1 speed: Delivers SuperSpeed data rates up to 5Gb/s.
- ✓ Power delivery: USB-C PD pass-through up to 100W
- ✓ Plug-and-play setup: Works instantly with no extra steps.
- ✓ Build: Aluminum casing for heat dissipation







Aprašymas

Expand your connectivity with the 4-Port USB 3.2 Gen 1 Hub, a sleek and versatile solution designed for modern USB-C devices. Transform a single USB-C port into 2 × USB-C and 2 × USB-A ports, allowing you to connect multiple peripherals with ease, from storage devices to accessories.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Powered by USB 3.2 Gen 1 technology, the hub delivers SuperSpeed data transfer rates of up to 5Gb/s, ensuring fast and efficient performance for everyday tasks. The integrated USB-C Power Delivery pass-through supports up to 100W, enabling you to charge your laptop while using the hub without interruption.

Designed for convenience, it features simple Plug and Play installation with no drivers required. The durable aluminum casing enhances heat dissipation while providing a premium, professional look. Compact and reliable, this hub is an essential accessory for boosting productivity at home, in the office, or on the go.

Techninė specifikacija

Ports & interfaces	
Ports quantity	5
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	3
Features	
Data transfer rate	5000 Mbit/s
Product colour	Grey
Housing material	Aluminium
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
Cable length	0.18 m
Plug and Play	Yes
Country of origin	China
Power	
Power supply type	USB
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Home Basic, Windows 7 Enterprise x64, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter x64, Windows 7 Starter, Windows 7 Ultimate x64, Windows 7 Ultimate, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia, Mac OS 12.4, Mac OS 13.1, Mac OS 14.5, Mac OS 26 Tahoe
Other operating systems supported	Android
Weight & dimensions	
Width	20.2 mm
Depth	12 mm
Height	118.8 mm
Weight	31 g
Packaging data	
Package width	80 mm
Package depth	18 mm
Package height	147 mm
Package weight	35 g
Packaging content	
Quick start guide	Yes
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Logistics data	
Customs product code (TARIC)	8471800000
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	163.2 cm
Master (outer) case width	420 mm
Master (outer) case length	395 mm
Master (outer) case height	185 mm
Master (outer) case gross weight	7.4 kg
Products per master (outer) case	100 pc(s)
Technical details	
Master (outer) cases per pallet	48 pc(s)
Compliance certificates	CE, RoHS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Atitikties deklaracija