Conceptronic DONN34G 10-in-1 USB 3.2 Gen 2 MST Docking Station, 4K60Hz HDMI, 8K30Hz DisplayPort, GbE, USB-C 10Gbps x 3, USB-A 480Mbps x 2, Audio, 100W USB PD

Gamintojas: **CONCEPTRONIC** · Modelis: **DONN34G** · EAN: **4015867243992** · Prekės kodas: **949000**



91,90 €

Kaina su PVM

Be PVM: **75,95 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Video output: HDMI and DisplayPort support resolutions up to 4K 60Hz and 8K 30Hz
- ✓ Display mode: Supports dual extended displays (MST on Windows)
- ✓ Ethernet: Gigabit Ethernet port up to 1000 Mbps
- ✓ USB ports: 3× USB-C (10Gbps), 2× USB-A (480Mbps)
- ✓ Power delivery: USB-C PD pass-through up to 100W
- ✓ Audio: 3.5 mm combo jack for headphones and microphone
- ✓ Compatibility: Windows, macOS, ChromeOS
- ✓ Installation: Simple Plug and Play
- ✓ Build: Aluminum casing for heat dissipation


















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903





Aprašymas

The 10-in-1 USB 3.2 Gen 2 MST Docking Station is a powerful and versatile connectivity solution designed to expand your workstation with maximum performance and flexibility. Supporting both HDMI and DisplayPort video outputs, it delivers exceptional image quality with resolutions up to 4K 60Hz and 8K 30Hz. Windows users can benefit from dual extended display support via MST, enabling efficient multitasking across multiple screens.

Featuring three high-speed USB-C ports with data transfer rates up to 10Gbps and two USB-A ports for everyday peripherals, this docking station provides reliable and seamless connectivity for all your essential devices. The integrated Gigabit Ethernet port ensures stable wired network performance up to 1000 Mbps, ideal for office environments and bandwidth-intensive tasks.

With USB-C Power Delivery pass-through up to 100W, you can power and charge your laptop while maintaining full functionality of connected devices. The built-in 3.5 mm combo audio jack allows convenient connection of headsets for clear communication during meetings and calls. Housed in a durable aluminum casing for efficient heat dissipation, this docking station supports simple Plug and Play installation and offers wide compatibility with Windows, macOS, and ChromeOS. It is a complete, professional solution for streamlined and productive workspaces.

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	0
HDMI ports quantity	1
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	4
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
Network	
Ethernet LAN	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes
Networking standards	IEEE 802.3ab
Performance	
Product colour	Grey
Card reader integrated	No
Data transfer rate	10 Gbit/s
HD type	8K Ultra HD
Maximum digital resolution	7680 x 4320 pixels
Plug and Play	Yes
Housing material	Aluminium
Country of origin	China
Power	
USB cable length	0.2 m
Software	
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Other operating systems supported	ChromeOS
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Weight & dimensions	
Width	64.6 mm
Depth	120 mm
Height	17 mm
Weight	157 g
Packaging data	
Package width	95 mm
Package depth	200 mm
Package height	20 mm
Package weight	200 g
Packaging content	
Quick start guide	Yes
Technical details	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Compliance certificates	CE, RoHS
Logistics data	
Products per master (outer) case	40 pc(s)
Master (outer) case width	220 mm
Master (outer) case length	400 mm
Master (outer) case height	255 mm
Master (outer) case gross weight	8.9 kg
Customs product code (TARIC)	8471800000
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	168.2 cm
Other features	
Master (outer) cases per pallet	60 pc(s)

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Atitikties deklaracija