

TERRA 3230 G6 6369P/64/2x1.9/C/RPSU server 3.84 TB Rack Intel® Xeon® 3.3 GHz 64 GB DDR5-SDRAM 800 W

Gamintojas: **TERRA** · Modelis: **1100419** · EAN: **4039407090112** · Prekės kodas: **950379**



9 924,90 €

Kaina su PVM

Be PVM: **8 202,40 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Intel® Xeon® 6369P 3.3 GHz
- ✓ 64 GB DDR5-SDRAM
- ✓ 3.84 TB
- ✓ Rack 800 W



Aprašymas

TERRA SERVER 3230 G6. Prozessorfamilie: Intel® Xeon®, Prozessor-Taktfrequenz: 3,3 GHz, Prozessor: 6369P. Speicherkapazität: 64 GB, Interner Speichertyp: DDR5-SDRAM. Gesamtspeicherkapazität: 3,84 TB. Ethernet/LAN. Stromversorgung: 800 W, Unterstützung für redundantes Netzteil. Gehäusetyp: Rack

Techninė specifikacija

Processor

Processor family	Intel® Xeon®
Processor manufacturer	Intel
Processor model	6369P

Processor frequency	3.3 GHz
Processor boost frequency	5.7 GHz
Performance cores	8
Processor cores	8
Processor cache	24 MB
Motherboard chipset	Intel C266
Memory channels supported by processor	Dual
Number of processors installed	1
Maximum number of SMP processors	1
Processor socket	LGA 1700
Memory	
Internal memory	64 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory	128 GB
ECC	Yes
Storage	
Total storage capacity	3.84 TB
RAID support	Yes
Optical drive type	No
Number of SSDs installed	2
SSD capacity	3.84 TB
SSD interface	SATA III
RAID levels	1
Supported RAID controllers	Broadcom MegaRAID 9560-8i
Number of 5.25" bays	1
Internal drive bays	8x 3.5"/2.5"
Graphics	
On-board graphics card	Yes
On-board graphics card family	Aspeed
On-board graphics card model	Aspeed AST2600
Maximum graphics card memory	64 MB
Network	
LAN controller	Intel X710-AT2
Ethernet LAN	Yes

Ethernet interface type	10 Gigabit Ethernet
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	5
VGA (D-Sub) ports quantity	1
Expansion slots	
PCI Express x8 (Gen 4.x) slots	2
PCI Express x8 (Gen 5.x) slots	1
Design	
Chassis type	Rack
Cooling type	Active
Rack mounting	Yes
Performance	
Remote administration	Ja
Software	
Operating system installed	No
Compatible operating systems	Windows Server 2019;
Power	
Redundant power supply (RPS) support	Yes
Power supply	800 W
Number of main power supplies	2
Power supply input voltage	100 - 240 V
Power supply input frequency	50/60 Hz
Operational conditions	
Operating temperature (T-T)	10 - 35 °C
Operating relative humidity (H-H)	10 - 75%
Weight & dimensions	
Width	438 mm
Depth	660 mm
Height	87 mm
Technical details	
Compliance certificates	CE

Other features

Memory type	4x DDR5 PC4400, UB ECC
Motherboard manufacturer	Asus P13R-E/10G-2T

Gamintojo ir saugos informacija

GAMINTOJAS

WORTMANN AG

Bredenhop 20, 32609 Hüllhorst, DE

wortmann.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt