LogiLink UA0360 video cable adapter 0.15 m USB Type-C Mini DisplayPort White

Gamintojas: **LOGILINK** · Modelis: **UA0360** · EAN: **4052792057553** · Prekės kodas: **950413**



15.90€

Kaina su PVM

Be PVM: **13.14€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Comply with USB-C specification
- ✓ Connected devices must support USB DP/HDMI Alternate Mode
- ✓ 2x shielded
- ✓ Plastic housing
- ✓ Nickel plated





Aprašymas

Product information "USB 3.2 Gen 1x1, USB-C to Mini DisplayPort adapter, 4K/60 Hz" from LogiLink
Experience 4K video playback through USB-C on an extended display. LogiLink's UA0360 allows the user to connect a computer with USB-C port (like your MacBook or Chromebook) to a monitor or TV with Mini DisplayPort interface. The connected display can act as a mirror or extended desktop of the main display on your computer. In this way you can experience 4K at 60 Hz video playback through the Mini DisplayPort interface and USB-C for both work and entertainment. Even without needing an additional power supply for the adapter.

Input: 1x USB-C male
Output: 1x Mini DisplayPort female
Video output resolution: Up to 4K (60 Hz)
Compliant with USB 3.2 Gen1x1 specifications
With USB Type-C reversible plug

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Designed to be used with DisplaPort Alternate Mode (DP Alt Mode) devices, such as the MacBook, Chromebook and other USB-C devices.
Cable length: 0.15m

Techninė specifikacija

Features	
Cable length	0.15 m
Connector 1	USB Type-C
Connector 2	Mini DisplayPort
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Maximum resolution	3840 x 2160 pixels
Supported graphics resolutions	3840 x 2160
Maximum refresh rate	60 Hz
Product colour	White
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	10 - 85%
Storage relative humidity (H-H)	5 - 90%
Packaging content	
Manual	Yes
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Svoris	0.04kg

Dokumentai ir vaizdo įrašai

- Product leaflet
- Declaration of conformity

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

MANUFACTURER

2direct GmbH
Langenstück 5, 58579 Schalksmühle, DE
info@2direct.de
2direct.de

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› Declaration of conformity