
# LogiLink C6A105S networking cable Green 15 m Cat6a S/FTP (S-STP) Round

Gamintojas: **LOGILINK** · Modelis: **C6A105S** · EAN: **4052792056228** · Prekės kodas: **950480**



**15,90 €**

Kaina su PVM

Be PVM: **13,14 €**

**Sandėlyje**

**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Cat.6A RJ45 shielded plugs with Cat.7 S/FTP raw cable
- ✓ Flexible and soft cable with small bending radius
- ✓ Suitable for 10 Gigabit Ethernet, PoE, PoE+, PoE++
- ✓ Comply with Cat.6A ISO11801 Channel Class EA
- ✓ GHMT tested and certified
- ✓ 4x2x26/7AWG bare copper wire
- ✓ Low smoke (IEC 61034)
- ✓ Halogen free (IEC 60754-2)
- ✓ Color: green, similar to RAL 6024







## Aprašymas

### Patch cable Ultraflex, Cat.6A, S/FTP, green, 15 m" from LogiLink Professional

The certified LogiLink Cat.6A patch cable is ideal for data transfers up to 10 Gigabit Ethernet and transfer frequencies up to 500 MHz. The jacket is halogen-free and flame retardant, the copper wires are shielded in pairs, the overall shield is made of copper braid. The shielded RJ45 plugs come with an overmoulded slim strain relief and snagless design.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

## Techninė specifikacija

| | |
|---|---|
| **Features** | |
| Cable length | 15 m |
| Cable standard | Cat6a |
| Cable shielding | S/FTP (S-STP) |
| Connector 1 | RJ-45 |
| Connector 2 | RJ-45 |
| Product colour | Green |
| Connector 1 gender | Male |
| Connector 2 gender | Male |
| Cable shape | Round |
| Connector shielding | Yes |
| Jacket material | Low smoke zero halogen (LSZH) |
| Conductor material | Copper |
| Cable class | Ea |
| Cabling technology | 10GBase-T |
| Ethernet interface type | 10 Gigabit Ethernet |
| AWG wire size | 26/7 |
| Frequency | 500 MHz |
| Fire-resistant | Yes |
| Plug and Play | Yes |
| **Operational conditions** | |
| Operating temperature (T-T) | -20 - 75 °C |
| **Sustainability** | |
| Doesn't contain | Halogen |
| **Packaging content** | |
| Quantity per pack | 1 pc(s) |

## Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

## Gamintojo ir saugos informacija

GAMINTOJAS

**2direct GmbH**
Langenstück 5, 58579 Schalksmühle, DE
info@2direct.de
2direct.de

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt