

Equip USB-C 7-in-1 MST Multifunctional Adapter, Dual HDMI 4K/30Hz, Gigabit Ethernet, 100W USB-C PD, USB-C (5Gbps) x 1, USB-A (5Gbps) x 2

Gamintojas: **EQUIP** · Modelis: **133501** · EAN: **4015867245262** · Prekės kodas: **950732**



62,90 €

Kaina su PVM

Be PVM: **51,98 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Video: Dual HDMI up to 4K@30Hz (dual to 1080p), MST on Windows.
- ✓ Ethernet: Gigabit, up to 1000 Mbps.
- ✓ USB: 2 × USB-A, USB 3.2 Gen 1 at 5 Gbps.
- ✓ Power Delivery: USB-C PD input up to 100W.
- ✓ Host: USB-C (TB3/TB4 compatible, DP Alt Mode required).
- ✓ Build: 25 cm aluminum-cased cable.





Aprašymas

The equip® 133501 is a USB-C 7-in-1 MST multifunctional adapter that expands a laptop or tablet's single USB-C port into a compact workstation hub.

Dual HDMI outputs support up to 4K at 30Hz (dual display to 1080p) with MST extended desktop on Windows, while Gigabit Ethernet adds wired networking up to 1000 Mbps and two USB-A ports transfer at 5 Gbps (USB 3.2 Gen 1).

USB-C Power Delivery input supplies up to 100W charging. It connects via USB-C (TB3/TB4 compatible, DP Alt Mode required) on a 25 cm aluminum-cased cable.

Techninė specifikacija

Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	2
Microphone in	No
Headphone outputs	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Grey
Card reader integrated	No
HD type	4K Ultra HD
Maximum digital resolution	4096 x 2160 pixels

Number of displays supported	2
Display modes	MST mode
Housing material	Metal
Country of origin	China

Power

USB cable length	0.25 m
------------------	--------

Software

Windows operating systems supported	Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Home, Windows 10 Enterprise x64, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 11.1 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia, Mac OS 26 Tahoe, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina
Mobile operating systems supported	Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0, Android 10.0, Android 11.0, Android 12.0, Android 14.0, Android 13.0, Android 15, Android 16
Other operating systems supported	ChromeOS

Operational conditions

Operating temperature (T-T)	0 - 45 °C
-----------------------------	-----------

Weight & dimensions

Width	41 mm
Depth	17 mm
Height	374.1 mm
Weight	78.8 g

Packaging data

Quantity per pack	1 pc(s)
Package width	170 mm
Package depth	17 mm
Package height	173 mm
Package weight	96 g

Technical details

Compliance certificates	CE, RoHS
-------------------------	----------

Logistics data

Products per master (outer) case	100 pc(s)
Master (outer) case width	312 mm
Master (outer) case length	490 mm
Master (outer) case height	170 mm
Master (outer) case gross weight	10.5 kg
Customs product code (TARIC)	8471800000
Harmonized System (HS) code	8536901100

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)