

Fujitsu PRIMERGY RX2540 M7 / 16x2.5" w/ Expander / 1x Xeon Gold 5415+ / 1x 32GB DDR5-4800 R ECC / PRAID EP 3252-8i / iRMC ADV / eLCM ACT LIC / 2x PSU 900W HP / RMK / 3yrs OS

Gamintojas: FUJITSU · Modelis: VFY:R2547SC260IN · EAN: 4065221940012 · Prekės kodas: 950883



6 000,90 €

Kaina su PVM

Be PVM: 4 959,42 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ No OS
- ✓ 32GB (4800MHz) DDR5-SDRAM (1 x 32)
- ✓ Intel Xeon Silver 4410T (26.25MB Cache, 2.7GHz)



Aprašymas

Unmatched Scalability and Performance

2U, 2-socket platform that provides scalability and performance to adapt to a variety of applications. Drive demanding workloads by latest 4th Generation Intel® Xeon® Scalable Processors with up to 60 cores per CPU.

Accelerate IT Transformation

Transform your data center for modern operations and drive demanding workloads with 32 DIMM modules (up to 8 TB). DDR5 DIMM memory provides fast, high capacity for memory intensive workloads.

Extensive Expandability

Maximize storage performance with up to 12x 3.5" or up to 24x 2.5" storage devices and ensure application performance scales to meet demands. Up to 8 PCIe 5.0 slots and OCP v3 adapters also ensure enough growth opportunities.

Agile Infrastructure Management

As you scale your infrastructure, scale your profitability with embedded intelligence from iRMC S6 as well as Infrastructure Manager (ISM) which enables organizations to have centralized control over the infrastructure using a single user interface.

Techninė specifikacija

Processor	
Processor family	Intel® Xeon® Gold
Processor manufacturer	Intel
Processor model	5415+
Processor frequency	2.9 GHz
Processor boost frequency	4.1 GHz
Processor cores	8
Processor cache	22.5 MB
Motherboard chipset	Intel C741
Memory	
Internal memory	32 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory	8 TB
Memory clock speed	4800 MHz
Memory layout (slots x size)	1 x 32 GB
Storage	
Total storage capacity	0 GB
RAID support	Yes
HDD size	2.5"
Number of HDDs supported	16
Network	
Ethernet LAN	Yes
Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
VGA (D-Sub) ports quantity	1
Expansion slots	

PCI Express x16 (Gen 4.x) slots 1

Design

Chassis type Rack (2U)

Product colour Black

Redundant fans support Yes

Performance

Trusted Platform Module (TPM) Yes

Trusted Platform Module (TPM) version 2

Software

Operating system installed No

Compatible operating systems Windows Server 2022 Datacenter Windows Server 2022 Standard Windows Server 2019 Datacenter Windows Server 2019 Standard Windows Server 2019 Essentials SUSE® Linux Enterprise Server 15 Red Hat® Enterprise Linux 8

Power

Redundant power supply (RPS) support Yes

Power supply 900 W

Number of main power supplies 2

Power supply input voltage 100 - 240 V

Power supply input frequency 50/60 Hz

Weight & dimensions

Width 482.2 mm

Depth 800 mm

Height 86.9 mm

Weight 32 kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Fujitsu Limited

Kamikodanaka 4-1-1, 211-8588 Kanagawa, JP
global.fujitsu

ATSAKINGAS ASMUO ES

Fujitsu Germany GmbH

Mies-van-der-Rohe-Straße 8, 80807 München, DE
fujitsu.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt