

Yealink MeetingBar A25-BYOM

Gamintojas: **YEALINK** · Modelis: **1206722** · EAN: **6938818325913** · Prekės kodas: **951412**



910,90 €

Kaina su PVM

Be PVM: **752,81 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Advanced triple-camera system
- ✓ High-quality audio pickup experience
- ✓ One Cable USB-C
- ✓ Advanced AI features
- ✓ Remote device management



Aprašymas

A25-BYOM is an all-in-one video collaboration bar built for focus rooms. It comes with an advanced triple-camera system that provides a 151° ultra-wide field of view and high-definition imaging. It integrates a high-quality loudspeaker, an 8x MEMS microphone array, and intelligent noise reduction for professional meeting audio.

Techninė specifikacija

Performance

Product type	Video collaboration bar
Product colour	Black
Bluetooth	Yes

Bluetooth version	5.1
Auto framing	Yes
Auto-tracking	Yes
Tracking modes	Presenter mode
Video	
HD type	4K Ultra HD
Maximum video resolution	3840 x 2160 pixels
Maximum frame rate	30 fps
Video formats supported	H.264
Picture-in-Picture	Yes
Audio	
Built-in speaker(s)	Yes
Number of speakers	1
Output voltage Total Harmonic Distortion (THD)	5%
Microphone pick-up range	5 m
Audio codecs	ARES, G.722.1C, G.722.1, G.722, G.711 (PCMA/PCMU), G.729
Ports & interfaces	
HDMI ports quantity	1
USB 2.0 ports quantity	1
USB 2.0 Type-C ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
Ethernet LAN (RJ-45) ports	1
Line-out	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Camera	
Camera type	Triple camera
Privacy camera	Yes
Privacy type	Privacy cover
Microphone	
Microphone sensitivity	-38 dB

Sound pressure level (max)	130 dB
Microphone Total Harmonic Distortion (THD)	5%
Number of microphone arrays	8
Features	
Cable lock slot	Yes
Computer system	
Firmware upgradeable	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 95%
Storage temperature (T-T)	-30 - 70 °C
Power	
Power source type	AC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Weight & dimensions	
Width	660 mm
Depth	185 mm
Height	190 mm
Packaging data	
Package width	200 mm
Package depth	220 mm
Package height	675 mm
Package weight	4.29 kg
Packaging content	
Cables included	HDMI, LAN (RJ-45), USB
AC adapter included	Yes
Mounting kit	Yes
Packaging content	Power adapter, 3.5m/11.48ft HDMI cable x1, 1.8m/5.91ft Network cable x1, 3m/9.84ft USB A to C cable x1, 3.0 m/9.84ft USB-C to C cable x1, 1.8 m/5.91ft Wall Mount Cable cover Quick start guide VCR11 Remote

Dokumentai ir vaizdo įrašai

- › Greitos pradžios vadovas
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Yealink Network Technology Co., Ltd

Hu'an Road High Tech Park 666, Huli District Xiamen, CN

yealink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt