

StarTech.com SM2DUPE11 medijos dublikatorius HDD / SSD kopijavimo aparatas Juoda 1 kopijos

Gamintojas: **STARTECH** · Modelis: **SM2DUPE11** · EAN: **065030891608** · Prekės kodas: **952139**



992,90 €

Kaina su PVM

Be PVM: **820,58 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDD / SSD kopijavimo aparatas
- ✓ 1 kopijos
- ✓ Sąsaja: SATA
- ✓ Korpuso medžiaga: Metalas
- ✓ 16 TB 7,5 GB/min
- ✓ Palaikomas kietojo disko dydis: 2.5,3.5"
- ✓ Ekranas: LCD
- ✓ 208 x 181 x 29 mm
- ✓ Juoda





Aprašymas

Hostless Drive Duplicator and Eraser | PCIe M.2 | SATA M.2 | 2.5 in. SATA | 3.5 in. SATA

This flexible 1-to-1 drive duplicator and eraser provides a standalone solution for cloning and sanitizing hard drives (HDD) and solid state drives (SSD) without computers or software. The drive duplicator/sanitizer can clone drives at up to 7.5GB per minute, and supports a wide variety of drive types:

- M.2 PCIe drives (sized 2230/2242/2260/2280/22110)
- M.2 SATA drives (sized 2230/2242/2260/2280/22110)
- 2.5 in. SATA drives
- 3.5 in SATA drives

Broad Drive Compatibility

Supporting different types of drives including M.2 PCIe (M-Key), M.2 SATA (B+M-Key), and SATA 2.5/3.5 in. drives, this HDD/SSD cloner and wiper provides a versatile solution for drive cloning and deleting applications. The drive cloner enables duplication with any combination of drives, supporting duplication between M.2 (NVMe/AHCI), M.2 SATA, and 2.5/3.5" SATA drive interfaces. You can also expand the capabilities of the device to supporting IDE and mSATA drives using StarTech.com drive adapters: SATA to IDE Adapter (SAT2IDEADP) / SATA to mSATA Adapter (SAT32MSAT257) (each sold separately).

To ensure compatibility with your drives the duplicator and eraser has been rigorously tested with a wide variety of drive models from different drive manufacturer including Samsung 850, 860, 870, 950, 960, 970, WD, HP, and Intel.

Configurable Duplication and Erase Modes

To support a wide variety of applications this drive cloner and sanitizer supports different duplication and erasing modes with Adjustable Host Protected Area (HPA) settings to include/exclude partitions. When duplicating the device supports: System & File, All Partitions, Whole Drive and Percentage Duplication. When erasing the device supports: Quick Erase, Full Erase (Single & 3-Pass) and Secure Erase (Clear/Purge, meets NIST SP 800-88 Rev 1).

Easy to Use

Featuring an intuitive button-operated interface, and full on-screen display (OSD) for increased manageability, this drive duplicator and cloner is easy to operate. To monitor and observe your duplication and erasing processes the device features LED indicators for Power/Activity, Status and Errors, and the OSD Menu options include Error Reporting, and Presenting Drive Info.

The Choice of IT Pros Since 1985

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales

Techninė specifikacija

Savybės

Gaminio tipas	HDD / SSD kopijavimo aparatas
Vienalaikių kopijų skaičius	1 kopijos
Sąsaja	SATA
Produkto spalva	Juoda
Korpuso medžiaga	Metalas
Kopijavimo aparato veikimo režimai	Kopija, Ištrinti
Maksimali palaikoma saugojimo talpa	16 TB
Perdavimo dažnis	7,5 GB/min
Ekranas	LCD
LED indikatoriai	Taip

Disko tvarkyklė

Palaikomas kietojo disko dydis	2.5,3.5"
Palaikomos kieto disko sąsajos	SATA
SSD Drive sąsajos	M.2

Energijos valdymas

Energijos suvartojimas	60 W
AC įėjimo įtampa	110 - 240 V
Įvesties srovė	1.4 A
Išėjimo įtampa	12 V
Išėjimo srovė	5 A
Kištuko tipas	M tipas
Pridedamos maitinimo šakutės tipai	ANZ, EU, JP, NA, UK

Svoris ir matmenys

Matmenys (WxDxH)	208 x 181 x 29 mm
Svoris	1,2 kg

Pakuotės duomenys

Pakuotės plotis	468 mm
Pakuotės gylis	239 mm
Pakuotės aukštis	95 mm
Paketo svoris	3 kg
Pakuotės ilgis	23,6 cm

Pakuotės turinys

Pridėti kabeliai	AC, SATA
Kintamosios srovės adapteris	Taip
Instrukcija	Taip
Pridėtų intarpų skaičius	2

Aplinkos sąlygos

Darbo santykinės drėgmės diapazonas	20 - 80%
Darbo temperatūros diapazonas (TT)	5 - 45 °C
Sandėliavimo temperatūros norma (T-T)	-20 - 85 °C

Techninė informacija

Atitikties sertifikatai	CE, RoHS
-------------------------	----------

Logistikos duomenys

Pagrindinės (išorinės) dėžės ilgis	529 mm
Pagrindinės (išorinės) dėžės plotis	533 mm
Pagrindinės (išorinės) dėžės aukštis	347 mm
Gaminių skaičius ant padėklo	6 vnt
Gaminių skaičius pagrindinėje (išorinėje) dėžėje	6 vnt

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas 1](#) youtube.com/watch?v=a7ggyTQ-kSc
- › [Vaizdo įrašas 2](#) youtube.com/watch?v=CgG1FdHuaIM

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA
[startech.com](https://www.startech.com)

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
[startech.com](https://www.startech.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt