

StarTech.com TBLT5MM80CM240WRA „Thunderbolt“ kabelis 0,8 m 80 Gbit/s Juoda

Gamintojas: **STARTECH** · Modelis: **TBLT5MM80CM240WRA** · EAN: **065030917490** · Prekės kodas: **952331**



56,89 €

Kaina su PVM

Be PVM: **47,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 0,8 m
- ✓ „Thunderbolt“ versija: 5
- ✓ 80 Gbit/s
- ✓ „USB Power Delivery“ 240 W
- ✓ 7680 x 4320 pikseliai
- ✓ Juoda
- ✓ 1 vnt



Aprašymas

Facilitate ultra high-performance connectivity between Thunderbolt 5-enabled devices

Experience reliable, ultra-high performance between Thunderbolt 5-enabled devices, supporting up to twice the bandwidth of Thunderbolt 4, 8K 60Hz video, and 240W charging over a single connection. This Thunderbolt 5 cable is ideal for high-performance laptops such as 16in MacBook Pro with M4 Pro/Max.

Enhanced Bandwidth with Boost Mode

Transfer high-speed data and drive dual UHD displays with 80 Gbps bidirectional bandwidth. When higher bandwidth is required, Thunderbolt 5 Boost Mode reallocates the data lanes, enabling 120 Gbps (transmit) and 40 Gbps (receive). This asymmetric configuration is ideal for display-intensive tasks, such as driving multiple 8K monitors or handling high-resolution video workflows while still supporting robust data transfer capabilities.

Seamless Compatibility

Connect this Intel Thunderbolt-certified cable for guaranteed Thunderbolt 5 performance and backward compatibility. Certified cables ensure seamless operation across multiple resolutions, refresh rates, and resource-intensive applications.

Durable Right-Angle Design

The Right Angle Thunderbolt 5 cable features a flexible TPE outer jacket that is tested to withstand 2,000 bending cycles. Position the right angle connector along the device to reduce cable clutter and avoid prolonged strain from bending. The durable Nickel-plated connectors are rated to operate beyond 10,000 insertions.

Supported Thunderbolt 5 Features

This Certified Thunderbolt 5 Cable supports full Thunderbolt 5 performance:

- 80 Gbps bidirectional bandwidth, doubling the capacity of Thunderbolt 4
- 120 Gbps boost mode for display-intensive applications
- DisplayPort 2.1 Alt Mode: Up to 8K 60Hz/4K 240Hz video with DSC, HDR, and 10-bit color
- PCI Express 4.0 (64 Gbps) support for GPUs, NICs, and storage in PCIe chassis
- 240W Power Delivery EPR for charging for high-performance laptops
- Backward Compatibility with Thunderbolt 4/3, USB4 (40 Gbps), and USB 3.2 (10 Gbps)

This versatile Thunderbolt 5 cord is constructed with braided alloy shielding to minimize EMI for seamless and consistent data/video output and long-term reliable performance.

Techninė specifikacija

Savybės	
Jungtis 1	Kištukinis
Jungtis 2	Kištukinis
Kabelio ilgis	0,8 m
Duomenų perdavimo sparta (maks.)	80 Gbit/s
Produkto spalva	Juoda
„Thunderbolt“ versija	5
Jungties kontaktų dengimas	Nikelis
Kabelio forma	Turas
„USB Power Delivery“	Taip
USB maitinimo tiekimas iki	240 W
AWG laido dydis	30/34
„USB Type C DisplayPort Alternate Mode“	Taip
Maksimali rezoliucija	7680 x 4320 pikseliai

Dangos medžiaga	Termoplastinis elastomeras (TPE)
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	10 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-10 - 50 °C
Darbo santykinės drėgmės diapazonas	0 - 85%
Sertifikatai	
Atitikties sertifikatai	RoHS, CE, Federalinė ryšių komisija (FCC)
Svoris ir matmenys	
Kabelio skersmuo	4,7 mm
Svoris	36 g
Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Pakuotės plotis	125 mm
Pakuotės gylis	110 mm
Pakuotės aukštis	15 mm
Paketo svoris	36 g
Logistikos duomenys	
Gaminių skaičius pagrindinėje (išorinėje) dėžėje	120 vnt
Pagrindinės (išorinės) dėžės ilgis	300 mm
Pagrindinės (išorinės) dėžės plotis	380 mm
Pagrindinės (išorinės) dėžės aukštis	295 mm
Matmenys ir svoris	
Svoris	0,06kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS	ATSAKINGAS ASMUO ES	PLATINTOJAS
StarTech.com Ltd.	StarTech.com Limited	MB KOMPIUTERIŲ GURU
Artisans Crescent 45, N5V 5E9 Ontario, London, CA	Laarderhoogtweg 25, 1101 EB Amsterdam, NL	V. Nagevičiaus g. 3, LT-08237 Vilnius
startech.com	startech.com	info@shopro.lt