

Equip DisplayPort to HDMI Passive Adapter, 4K/30Hz

Gamintojas: **EQUIP** · Modelis: **133447** · EAN: **4015867245507** · Prekės kodas: **953782**



18,90 €

Kaina su PVM

Be PVM: 15,62 €

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connector : DisplayPort 1.2 Male to HDMI 1.4 Female with Passive chip.
- ✓ Max resolution: Supports up to 4K (3840 x 2160) at 30Hz.
- ✓ Video features: Supports HDCP 1.4 for protected 4K content.
- ✓ Bandwidth: Up to 10.2Gbps for smooth, stable UHD playback.
- ✓ Cable length: 15cm compact pigtail adapter.
- ✓ Build quality: Aluminum casing with gold-plated connectors.
- ✓ Plug-and-play setup: Works instantly with no extra steps. Passive converter, suitable only for graphics cards with DP++ output



Aprašymas

The equip® 133447 DisplayPort to HDMI Passive Adapter lets you connect a DisplayPort-enabled PC or laptop to an HDMI monitor, TV, or projector. It's a simple way to keep using existing HDMI displays with newer DisplayPort devices, without upgrading your screen.

Supporting video resolutions up to 4K (3840 x 2160) at 30Hz, the adapter delivers clear, stable output for everyday work, presentations, and basic multimedia. The compact 15cm pigtail design helps reduce strain on ports and is easy to carry in a laptop bag or sleeve.

With straightforward plug-and-play setup and no drivers required, you can quickly mirror or extend your desktop to an HDMI display in offices, classrooms, or meeting rooms.

Techninė specifikacija

Ports & interfaces	
Connector 1	DisplayPort
Connector 2	HDMI
Connector 1 gender	Male
Connector 2 gender	Female
Connector 1 form factor	Straight
Connector 2 form factor	Straight
DisplayPort version	1.2
Connector contacts plating	Gold
Cable length	0.15 m
Performance	
Product colour	Black
Housing material	Plastic
Supported video modes	1080p, 2160p
Data transfer rate	10.2 Gbit/s
Maximum resolution	3840 x 2160 pixels
Maximum refresh rate	60 Hz
HDCP	Yes
Plug and Play	Yes
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Certificates	
Compliance certificates	RoHS, REACH
Weight & dimensions	
Width	22 mm

Depth	15 mm
Height	150 mm
Weight	25 g

Packaging data

Package width	105 mm
Package depth	27 mm
Package height	215 mm
Package weight	40 g
Package type	Box

Logistics data

Country of origin	China
Customs product code (TARIC)	8471800000
Harmonized System (HS) code	854442

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
[digital-data.de](https://www.digital-data.de)

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt