

StarTech.com USB to DVI Adapter - 1920x1200

Gamintojas: **STARTECH** · Modelis: **USB2DVIPRO2** · EAN: **065030848008** · Prekės kodas: **954576**



110,90 €

Kaina su PVM

Be PVM: **91,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Support for Aero themes in Windows®
- ✓ Works with Mac® OS X
- ✓ Optimal performance at 1920x1200 and ideal for use with 24" to 26" monitors or smaller
- ✓ USB-Powered operation, no external power adapter required
- ✓ Quick and easy installation
- ✓ Powered by DisplayLink DL-195 chip



Aprašymas

USB 2.0 External Video & Graphics Card | Multi-Monitor | USB-Powered | Supports Mac & Windows®

The USB2DVIPRO2 USB to DVI Adapter functions as an external graphics card for Windows® and Mac® computers - the perfect solution for turning your desktop or laptop computer into a dual or multi-monitor environment, all through the simplicity and convenience of USB.

The USB-DVI Adapter delivers high quality video (up to 1920x1200) for a variety of applications and is capable of simultaneously running up to five additional displays from a single computer (using four USB2DVIPRO2 External Video Adapters). The adapter connects to a host computer through a USB 2.0 port, acting as an external DVI video card to either extend or mirror the desktop shown on the existing display - without having to open the computer case.

Featuring driver support for Microsoft Windows® (including Aero themes) and Mac OS X, and with video support for resolutions up to 1920x1200,

this USB-DVI video adapter is the ideal solution for a wide range of operating environments as well as large-screen displays/monitors.

The USB2DVIPRO2 USB to DVI Adapter is backed by a StarTech.com 2-year warranty and free lifetime technical support.

The StarTech.com Advantage

Techninė specifikacija

Performance	
USB version	2
DVI output	Yes
HDMI output	No
DisplayPort output	No
Number of displays supported	1
USB connector type	USB Type-A
USB connector gender	Male
DVI connector type	DVI-I
Internal memory	16 MB
Maximum resolution	1920 x 1200 pixels
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1366 x 768, 1440 x 900, 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1200 (WUXGA)
LED indicators	Power
Chipset	DisplayLink - DL-195
USB pass-through	No
Certification	CE, FCC, DisplayLink, REACH
Design	
Product colour	Black
Integrated USB cable	Yes
System requirements	

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac compatibility	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Linux operating systems supported	Ubuntu 14.04, Ubuntu 16.04, Ubuntu 18.04 LTS, Ubuntu 20.04 LTS, Ubuntu 22.04
Other operating systems supported	ChromeOS
Minimum processor speed	1.2 GHz
Minimum RAM	0.512 GB
Minimum storage drive space	30 MB
Weight & dimensions	
Width	55 mm
Depth	270 mm
Height	20 mm
Weight	70 g
USB cable length	0.165 m
Operational conditions	
Operating temperature (T-T)	10 - 40 °C
Storage temperature (T-T)	-10 - 80 °C
Operating relative humidity (H-H)	0 - 85%
Packaging data	
Package width	211 mm
Package depth	146 mm
Package height	42 mm
Package weight	245 g

Packaging content

Drivers included	Yes
Interface adapters included	DVI-I male - VGA female
Manual	Yes

Technical details

Compliance certificates	RoHS
-------------------------	------

Logistics data

Products per master (outer) case	40 pc(s)
Master (outer) case width	427 mm
Master (outer) case length	436 mm
Master (outer) case height	324 mm
Harmonized System (HS) code	84733020

Matmenys ir svoris

Matmenys (I × P × A)	22,00cm × 15,00cm × 4,00cm
Svoris	0,24kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas 1](#) youtube.com/watch?v=V1e8gfpHE8s
- › [Vaizdo įrašas 2](#) youtube.com/watch?v=0OUcYYrHpqs
- › [Vaizdo įrašas 3](#) youtube.com/watch?v=pzZ6ygna0tk

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA
[startech.com](https://www.startech.com)

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
[startech.com](https://www.startech.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt