LG 65UH7Q-E Signage Display Digital signage flat panel 165.1 cm (65") LED 700 cd/m² 4K Ultra HD Black WebOS 24/7

Gamintojas: **LG** · Modelis: **65UH7Q-E.AEU** · EAN: **8806096654590** · Prekės kodas: **954649**



1 533,90 €

Kaina su PVM

Be PVM: **1 267,69 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HDR Support
- ✓ webOS Smart Platform
- ✓ Slim&Even Bezel






Aprašymas

Superb Picture Quality with Ultra HD Resolution

With the resolution of UHD, it makes the colors and details of the content vivid and realistic.

Even & Slim Bezel Design

The UH7Q-E series features perfectly balanced horizontal and vertical slim bezels, creating a visually harmonious display solution. Its specialized design simplifies installation in retail environments while delivering a truly immersive viewing experience..

Convenient webOS Platform

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

The UH7Q-E is equipped with a high-performance SoC that allows for multiple tasks to be performed without a separate media player. The webOS platform provides app development tools with an intuitive UI that enhances user convenience, and includes webOS partner apps to create an SI-friendly environment.

Comprehensive Security

webOS Signage goes beyond security measures at the operating system (OS) level. LG Shield employs a five-tiered defense system, encompassing server, application, operating system, system, and hardware. Each layer operates independently, providing comprehensive protection against various threats. Also webOS platform support ETSI EN 303 645.

SuperSign Solutions

SuperSign is an integrated and intuitive content management solution for creative and organized digital signage content in your space, connecting customers to a range of services with convenient user experiences. There are a variety of versions such as SuperSign Cloud, so discover and enjoy the version that best fitsyou.

Techninė specifikacija

Display	
Display diagonal	165.1 cm (65")
Display technology	LED
Display resolution	3840 x 2160 pixels
Display brightness	700 cd/m²
HD type	4K Ultra HD
Touchscreen	No
Panel type	ADS
LED backlight	Yes
LED backlighting type	Edge-LED
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Rated lifetime	50000 h
Colour depth	10 bit
High Dynamic Range (HDR) supported	Yes
Native refresh rate	60 Hz
Haze rate	25%

Colour gamut	95%
Ports & interfaces	
HDMI ports quantity	2
DVI port	No
DisplayPorts quantity	1
USB port	Yes
USB ports quantity	2
USB version	2
USB connector type	USB Type-A, USB Type-C
USB Power Delivery (USB PD)	Yes
Ethernet LAN (RJ-45) ports	1
Audio (L/R) out	1
RS-232C	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Panel mounting interface	300 x 300 mm
Bezel colour	Black
Performance	
Purpose	Universal
On Screen Display (OSD) languages	Multi
Operating hours (hours/days)	24/7
International Protection (IP) code	IP5X
Power	
Power consumption (typical)	205 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.5 W
Power consumption (max)	130 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903


Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	126 kWh
AC input voltage	100-240 V
AC input frequency	50/60 Hz
Computer system	
Computer system	Yes
Built-in processor	No
Computer system type	System on Chip (SoC)
Operating system installed	WebOS
Weight & dimensions	
Display width	1457.9 mm
Display depth	29.7 mm
Display height	834 mm
Display weight	21.1 kg
Packaging data	
Package width	1600 mm
Package depth	172 mm
Package height	970 mm
Package weight	30.4 kg
Packaging content	
Tilt angle	15°
Remote control included	Yes
Cables included	AC, USB Type-C
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Brand-specific features	
LG technologies (AV/TV)	Smart Energy Saving
Network	
Ethernet LAN	Yes
Wi-Fi	No
Features	
Wall mountable	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Technical details	
Sustainability certificates	ErP, ENERGY STAR
Compliance certificates	Federal Communications Commission (FCC), KC, CE
Other features	
Safety	CB / NRTL
Power supply type	Internal
Bezel width	1.14 cm

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė G A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

LG Electronics Inc.
Magokjungang 10-ro 10, 07796 Gangseo-gu, Seoul, KR
lg.com

ATSAKINGAS ASMUO ES

LG Electronics Deutschland
Alfred-Herrhausen-Allee 45721, 65760 Eschborn, DE
lg.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt