

# ACT Powercord C13 IEC Lock+ - C14 IEC Lock Dual Locking blue 3 m, PC3623

Gamintojas: **ACT** · Modelis: **AK5520** · EAN: **5056313247316** · Prekės kodas: **954860**



## 36,91 €

Kaina su PVM

Be PVM: **30,50 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ PDU side locks at the top and side
- ✓ Locking mechanism works on all known brands of PDUs
- ✓ Minimizes risks of damage and downtime
- ✓ IEC lock has years of experience in locking mechanisms
- ✓ Protects against accidental disconnection in critical equipment, PDUs, Servers, Network equipment, etc



## Aprašymas

The IEC dual lock power cable offers dual locking (C13+C14) with a unique connector on the PDU side, locking at the top and at the side, which makes the cable extra protected against accidental disconnection in the PDU. In short, even more security. The locking mechanism is universal and works with all known brands of PDUs.

The IEC lock prevents undesired disconnection/release of the cable both on the equipment side and on the PDU side, thus minimizing the risks of damage and downtime.

The IEC lock is applicable in Europe, Australia, (10A/250V~) America, Canada and Japan (15A/250V~).

## Techninė specifikacija

| Features                             |                                                 |
|--------------------------------------|-------------------------------------------------|
| Product colour                       | Blue                                            |
| Connector 1 gender                   | Female                                          |
| Connector 2 gender                   | Male                                            |
| Cable length                         | 3 m                                             |
| Connector 1                          | C13 coupler                                     |
| Connector 2                          | C14 coupler                                     |
| Connector 1 standard                 | IEC 60320                                       |
| Connector 2 standard                 | IEC 60320                                       |
| Connector 1 form factor              | Straight                                        |
| Connector 2 form factor              | Straight                                        |
| Connector 1 lockable                 | Yes                                             |
| Connector 2 lockable                 | Yes                                             |
| Suitable for use in country/location | Australia, Canada, Europe, Japan, North America |
| Jacket material                      | Nylon/Polyvinyl Chloride (PVC)                  |
| Conductor material                   | Copper                                          |
| AWG wire size                        | 17                                              |
| Plug and Play                        | Yes                                             |
| Number of cable cores                | 3                                               |
| Core size                            | 1 mm <sup>2</sup>                               |
| Power                                |                                                 |
| Input voltage                        | 250 V                                           |
| Input current                        | 10 A                                            |
| Maximum current                      | 15 A                                            |
| Operational conditions               |                                                 |
| Operating temperature (T-T)          | -20 - 105 °C                                    |
| Weight & dimensions                  |                                                 |
| Diameter                             | 8 mm                                            |
| Packaging data                       |                                                 |
| Quantity per pack                    | 1 pc(s)                                         |
| Matmenys ir svoris                   |                                                 |
| Svoris                               | 0,34kg                                          |

## Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### Intronics BV

Koolhovenstraat 1E, 3772 MT Barneveld, NL

[intronics.nl](http://intronics.nl)

### PLATINTOJAS

#### MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)