

Lenovo ThinkSystem 7DF31001EA server 960 GB Tower Intel® Xeon® 6315P 2.8 GHz 16 GB DDR5-SDRAM 500 W

Gamintojas: **LENOVO** · Modelis: **7DF31001EA** · EAN: **8032976197691** · Prekės kodas: **954917**



4 575,91 €

Kaina su PVM

Be PVM: **3 781,74 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

✓ Intel Xeon 6315P (12MB Cache, 2.8GHz)

✓ 16GB (4400MHz) DDR5-SDRAM (1 x 16) & 960GB SSD



Aprašymas

The Lenovo ThinkSystem ST50 V3 is a value 1-socket tower server that also be rack mounted as a rack server. It is ideal for small-to-medium businesses, remote offices, branch offices, banking and public sector. The server supports the new Intel Xeon E-2400 Series processors, formerly codenamed "Raptor Lake".

This product guide provides essential presales information to understand the ThinkSystem ST50 V3 server, its key features and specifications, components and options, and configuration guidelines. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the ST50 V3 and consider its use in IT solutions.

Techninė specifikacija

Processor

Processor family

Intel® Xeon®

Processor manufacturer	Intel
Processor model	6315P
Processor frequency	2.8 GHz
Processor boost frequency	5.2 GHz
Performance cores	4
Processor cores	4
Processor cache	12 MB
Motherboard chipset	Intel C266
Number of processors installed	1
Memory	
Internal memory	16 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory	128 GB
Memory slots	4x DIMM
ECC	Yes
Memory clock speed	4400 MHz
Memory layout (slots x size)	1 x 16 GB
Storage	
Total storage capacity	960 GB
Optical drive type	No
Number of SSDs installed	2
SSD capacity	480 GB
SSD interface	SATA
Internal drive bays	3
Supported storage drive interfaces	Serial ATA
Graphics	
On-board graphics card	Yes
Maximum graphics card memory	16 MB
Network	
LAN controller	Broadcom BCM5720
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Gigabit Ethernet
Ports & interfaces	

Ethernet LAN (RJ-45) ports	2
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5
VGA (D-Sub) ports quantity	1
Serial ports quantity	1
Design	
Chassis type	Tower
Product colour	Black
Performance	
Trusted Platform Module (TPM)	Yes
Trusted Platform Module (TPM) version	2
Software	
Compatible operating systems	Microsoft Windows Server Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Power	
Power supply	500 W
Power supply input voltage	100 - 240 V
Power supply input frequency	50/60 Hz
Operational conditions	
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	8 - 90%
Operating altitude	0 - 3050 m
Certificates	
80 PLUS certification	80 PLUS Platinum
Weight & dimensions	
Width	170 mm
Depth	370 mm
Height	376 mm
Weight	12 kg
Technical details	
Supported storage drives form factor (internal)	3.5"
Matmenys ir svoris	
Svoris	8,46kg

Gamintojo ir saugos informacija

GAMINTOJAS

Lenovo Group Limited

Courtyard Xibeiwang East Road Building 2, No.10,
100094 Beijing, CN

lenovo.com

ATSAKINGAS ASMUO ES

Lenovo France SAS

Rue des Deux Gares 20, 92500 Rueil-Malmaison,
FR

lenovo.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt