LevelOne RJ45 to SFP Gigabit Media Converter, 802.3bt 90W PoE PSE

Gamintojas: **LEVEL ONE** · Modelis: **GVT-2016** · EAN: **4015867238011** · Prekės kodas: **955492**

152,90 €

Kaina su PVM

Be PVM: **126,36 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultra-Fast Wired Connectivity: Supports Gigabit speeds (up to 1000 Mbps) for seamless data transfer and lag-free network performance
- ✓ Flexible Power Delivery: Provides PoE++ (IEEE 802.3af/at/bt) on the copper port, eliminating the need for separate power adapters for compatible devices
- ✓ Effortless Network Setup: Auto-negotiation and auto-MDI/MDI-X ensure a smooth connection regardless of cable type
- ✓ Versatile Fiber Optic Options: Supports both Multi-mode and Single-mode fiber using LC connectors for extended network reach
- ✓ Enhanced Data Throughput: Accommodates jumbo frames (up to 9K bytes) for faster transmission of large files
- ✓ Wide Operating Temperature Range: Functions reliably in environments ranging from 0°C to 55°C



Aprašymas

The LevelOne GVT-2016 is a Single-Port, End-Span IEEE 802.3bt High Power over Ethernet Media Converter with a total PoE budget of 90W. It is specifically designed to meet the growing power demands of network devices such as PTZ (Pan, Tilt & Zoom) network cameras, PTZ speed domes, color touchscreen VoIP telephones, multichannel (IEEE 802.11a/b/g/n/ac/ax) wireless LAN access points, and other network devices that require higher power to function normally. Equipped with an SFP port for Gigabit SFP transceivers, it can be used with both Multi Mode and Single Mode fibers, depending on the choice of transceiver. The GVT-2016 is the ideal solution for delivering data and power directly to network devices over the RJ45 interface, without the need for additional power outlets and electrical cabling, thanks to its high Power over Ethernet performance.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Network	
Maximum data transfer rate	1000 Mbit/s
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T, 1000BASE-X
Jumbo frames support	Yes
Jumbo frames	9000
Flow control support	Yes
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
Performance	
Fiber mode structure	Multi-mode, Single-mode
Features	
Internal	No
LED indicators	LAN, PoE, Power
Product colour	Black
Ports & interfaces	
Fiber optic connector	SFP
Connectivity technology	Wired
Ethernet LAN (RJ-45) ports	1
Fiber ports quantity	1
DC-in jack	Yes
Power	
Input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	2 A
Output voltage	55 V
Output current	2.3 A
Power consumption (typical)	2.42 W
Power consumption (max)	105.4 W
Total Power over Ethernet (PoE) budget	90 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Weight & dimensions	
Width	93.5 mm
Depth	70 mm
Height	26 mm
Weight	351 g
Operational conditions	
Operating temperature (T-T)	0 - 55 °C
Storage temperature (T-T)	-40 - 80 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Packaging content	
AC adapter included	Yes
Quick installation guide	Yes
Packaging data	
Package width	240 mm
Package depth	186 mm
Package height	84 mm
Package weight	937 g
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), Low Voltage Directive (LVD), RCM, RoHS, UKCA
Logistics data	
Country of origin	China
Master (outer) cases per pallet (air)	32 pc(s)
Pallet gross length	100 cm
Pallet gross width	120 cm
Pallet height (air)	171 cm
Harmonized System (HS) code	851762
Master (outer) case width	450 mm
Master (outer) case length	264 mm
Master (outer) case height	390 mm
Master (outer) case gross weight	8.62 kg
Products per master (outer) case	10 pc(s)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Atitikties deklaracija

Gamintojo ir saugos informacija

GAMINTOJAS

LevelOne

ATSAKINGAS ASMUO ES

Digital Data Communications GmbH
Im Defdahl 10 F, 44141 Dortmund, DE
level1.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- Atitikties deklaracija