

Equip Cat.6A Platinum S/FTP Patch Cable, 15m, Orange

Gamintojas: **EQUIP** · Modelis: **605678** · EAN: **4015867163399** · Prekės kodas: **955662**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 x 2 AWG 26/7
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+, PoE++
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)



Aprašymas

Cat.6A Pro S/FTP Patch Cord is composed of preeminent materials and fully-examined to Cat.6A Platinum S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

Techninė specifikacija

Features

Cable length 15 m

Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Orange
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Round
Conductor type	Stranded
Conductor material	Copper
Cabling technology	10GBase-T
Ethernet interface type	10 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Networking standards	IEEE 802.3, IEEE 802.5
AWG wire size	26/7
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+, PoE++ (4PPoE)
Molded cable boot	Yes
Plug and Play	Yes
Country of origin	China

Sustainability

Doesn't contain	Halogen
-----------------	---------

Certificates

Compliance certificates	CE, REACH, RoHS, UKCA
-------------------------	-----------------------

Weight & dimensions

Width	8.34 mm
Depth	11.7 mm
Height	15000 mm
Outer diameter	6.1 mm
Weight	564 g

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Packaging data

Package width	220 mm
---------------	--------

Package depth	45 mm
---------------	-------

Package height	260 mm
----------------	--------

Package weight	265 g
----------------	-------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Master (outer) case width	300 mm
---------------------------	--------

Master (outer) case length	280 mm
----------------------------	--------

Master (outer) case gross weight	13.4 kg
----------------------------------	---------

Master (outer) case height	490 mm
----------------------------	--------

Products per master (outer) case	22 pc(s)
----------------------------------	----------

Technical details

Sustainability compliance	Yes
---------------------------	-----

Matmenys ir svoris

Svoris	0,62kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [CE ženklimas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH

Im Defdahl 10 F, D-44141 Dortmund, DE

digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt**Saugos dokumentai**

- › [CE ženklimas](#)