

## Equip Cat.6A S/FTP Patch Cable, 5.0m, Orange

Gamintojas: **EQUIP** · Modelis: **606606** · EAN: **4015867204832** · Prekės kodas: **955698**



# 16,90 €

Kaina su PVM

Be PVM: **13,97 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

### Pagrindinės savybės

- ✓ 4 x 2 AWG 26/7
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)



### Aprašymas

The equip® Cat.6A S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application

### Techninė specifikacija

#### Features

Cable length 5 m

|                                          |                                                      |
|------------------------------------------|------------------------------------------------------|
| Cable standard                           | Cat6a                                                |
| Cable shielding                          | S/FTP (S-STP)                                        |
| Connector 1                              | RJ-45                                                |
| Connector 2                              | RJ-45                                                |
| Product colour                           | Orange                                               |
| Connector 1 gender                       | Male                                                 |
| Connector 2 gender                       | Male                                                 |
| Connector 1 form factor                  | Straight                                             |
| Connector 2 form factor                  | Straight                                             |
| Connector contacts plating               | Gold                                                 |
| Jacket material                          | Low smoke zero halogen (LSZH)                        |
| Cable shape                              | Round                                                |
| Conductor type                           | Stranded                                             |
| Conductor material                       | Copper                                               |
| Cabling technology                       | 10GBase-T                                            |
| Ethernet interface type                  | 10 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet |
| Networking standards                     | IEEE 802.3, IEEE 802.5                               |
| AWG wire size                            | 26/7                                                 |
| Data transfer rate                       | 10000 Mbit/s                                         |
| Frequency                                | 500 MHz                                              |
| Power over Ethernet (PoE)                | Yes                                                  |
| Power over Ethernet (PoE) type supported | PoE+                                                 |
| Molded cable boot                        | Yes                                                  |
| Plug and Play                            | Yes                                                  |
| Country of origin                        | China                                                |

### Sustainability

|                 |         |
|-----------------|---------|
| Doesn't contain | Halogen |
|-----------------|---------|

### Certificates

|                         |                 |
|-------------------------|-----------------|
| Compliance certificates | CE, REACH, RoHS |
|-------------------------|-----------------|

### Weight & dimensions

|                      |         |
|----------------------|---------|
| Width                | 8.34 mm |
| Depth                | 11.7 mm |
| Height               | 5000 mm |
| Insulation thickness | 0.2 mm  |
| Outer diameter       | 6.1 mm  |

|                                  |          |
|----------------------------------|----------|
| Weight                           | 163 g    |
| <b>Packaging content</b>         |          |
| Quantity per pack                | 1 pc(s)  |
| <b>Packaging data</b>            |          |
| Package width                    | 180 mm   |
| Package depth                    | 30 mm    |
| Package height                   | 230 mm   |
| Package weight                   | 95 g     |
| Package type                     | Polybag  |
| <b>Other features</b>            |          |
| Insulation outer diameter        | 1.05 mm  |
| <b>Logistics data</b>            |          |
| Harmonized System (HS) code      | 84733080 |
| Master (outer) case width        | 290 mm   |
| Master (outer) case length       | 350 mm   |
| Master (outer) case gross weight | 9.14 kg  |
| Master (outer) case height       | 380 mm   |
| Products per master (outer) case | 60 pc(s) |
| <b>Technical details</b>         |          |
| Sustainability compliance        | Yes      |
| <b>Matmenys ir svoris</b>        |          |
| Svoris                           | 0,16kg   |

## Dokumentai ir vaizdo įrašai

- › Gaminio lankstinukas
- › CE ženklimas

## Gamintojo ir saugos informacija

### GAMINTOJAS

**Digital Data Communications GmbH**  
Im Defdahl 10 F, D-44141 Dortmund, DE  
[digital-data.de](https://digital-data.de)

### PLATINTOJAS

**MB KOMPIUTERIŲ GURU**  
V. Nagevičiaus g. 3, LT-08237 Vilnius  
[info@shopro.lt](mailto:info@shopro.lt)

### Saugos dokumentai

- › CE ženklimas