


Equip Cat.6A F/FTP Slim Patch Cable, 20m, Red

Gamintojas: **EQUIP** · Modelis: **606151** · EAN: **4015867209936** · Prekės kodas: **955734**



26,90 €

Kaina su PVM

Be PVM: **22,23 €**

Sandėlyje




Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stranded bare copper conductor
- ✓ AWG 32/7
- ✓ Ultra slim, 3.8 mm diameter
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+,
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)



Aprašymas

The equip® Cat.6A F/FTP Slim Patch Cable is a small cable with big performance. With a cable diameter of almost half a standard Cat.6A cable, It's easier to route and saves valuable space in high density environments, such as data centers and telecommunications rooms. With Cat.6A Slim Cable, you can fit more cables in the same space, saving you the time and cost of expanding or replacing cable pathways.

Techninė specifikacija

Features

Cable length	20 m
--------------	------

Cable standard	Cat6a
Cable shielding	F/FTP (FFTP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Red
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Connector shielding	Yes
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Flat
Conductor type	Stranded
Conductor material	Copper
Cabling technology	10GBase-T
Ethernet interface type	10 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Networking standards	IEEE 802.3, IEEE 802.5
AWG wire size	32/7
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+
Molded cable boot	Yes
Plug and Play	Yes
Country of origin	China
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	CE, REACH, RoHS
Weight & dimensions	
Width	8.34 mm
Depth	11.7 mm
Height	20000 mm
Outer diameter	3.8 mm

Weight	626 g
Packaging content	
Quantity per pack	1 pc(s)
Packaging data	
Package width	250 mm
Package depth	50 mm
Package height	290 mm
Package type	Polybag
Logistics data	
Harmonized System (HS) code	84733080
Master (outer) case width	380 mm
Master (outer) case length	290 mm
Master (outer) case gross weight	12.5 kg
Master (outer) case height	350 mm
Products per master (outer) case	45 pc(s)
Technical details	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

- › Gaminio lankstinukas
- › CE ženklimas

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › CE ženklimas