

Equip Cat.6A U/FTP Flat Patch Cable, 10.0m, Yellow

Gamintojas: **EQUIP** · Modelis: **607666** · EAN: **4015867224823** · Prekės kodas: **955739**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje




Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AWG 30/7
- ✓ Gold Plated Connectors for high signal quality
- ✓ with 500MHz performance
- ✓ Transmission: 10Gbit
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield reduces EMI/RFI interference
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)
- ✓ Compliant with ISO/IEC 11801 and EN 50173



Aprašymas

The equip® Cat.6A U/FTP Patch Cord is composed of preeminent materials and fully-examined to fulfill the 10G application. The flat form factor is ideal for saving space and thus more convenient for cabling deployment, avoiding the cumbersome installation.

Techninė specifikacija

Features

Cable length	10 m
Cable standard	Cat6a

Cable shielding	U/FTP (STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Yellow
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Flat
Conductor type	Stranded
Conductor material	Copper
Cabling technology	10GBase-T
Ethernet interface type	10 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Networking standards	IEEE 802.3, IEEE 802.5
AWG wire size	30/7
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Molded cable boot	Yes
Plug and Play	Yes
Country of origin	China
Sustainability	
Doesn't contain	Halogen
Certificates	
Compliance certificates	CE, REACH, RoHS
Weight & dimensions	
Width	210 mm
Depth	10 mm
Height	10000 mm
Outer diameter	7.5 mm
Weight	240.8 g
Packaging content	
Quantity per pack	1 pc(s)

Packaging data	
Package width	250 mm
Package depth	11 mm
Package height	335 mm
Package type	Polybag
Logistics data	
Harmonized System (HS) code	84733080
Master (outer) case width	290 mm
Master (outer) case length	350 mm
Master (outer) case gross weight	13.2 kg
Master (outer) case height	380 mm
Products per master (outer) case	50 pc(s)
Technical details	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

- › Gaminio lankstinukas
- › CE ženklimas

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › CE ženklimas