

Equip Cat.6A S/FTP Patch Cable, Angled to Straight plug, 5.0m, Black

Gamintojas: **EQUIP** · Modelis: **605894** · EAN: **4015867235201** · Prekės kodas: **955770**



16,90 €

Kaina su PVM

Be PVM: **13,97 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 x 2 AWG 26/7
- ✓ 500MHz performance Bandwidth
- ✓ Transmission: 10Gbit
- ✓ Suitable for PoE, PoE+
- ✓ Stranded bare copper conductor
- ✓ Foil and braid shield Reduces EMI/RFI interference
- ✓ PIMF (Pairs in metal Foil)
- ✓ Molded boot with Strain relief
- ✓ RoHS compliant
- ✓ Low Smoke Zero Halogen (LSZH/LSOH)



Aprašymas

The Cat.6A S/FTP Patch Cable with an Angled to Straight plug is a high-performance Ethernet cable designed for various networking applications. Its unique feature is the angled connector on one end and a straight plug on the other. This design reduces cable strain and allows for efficient cable routing in tight spaces.

The cable is constructed with S/FTP (Shielded Foiled Twisted Pair) technology, providing excellent protection against electromagnetic interference (EMI) and ensuring optimal signal quality. It's compatible with Cat.6A standards, capable of supporting high-speed data transmission up to 10 Gbps.

The angled connector allows for easy and secure connections, even in areas with limited space. It's suitable for use in professional networking

environments, data centers, offices, and home setups where reliable and high-speed connections are essential.

Techninė specifikacija

Features	
Cable length	5 m
Cable standard	Cat6a
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 2	RJ-45
Product colour	Black
Connector 1 gender	Male
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Angled
Connector shielding	Yes
Jacket material	Low smoke zero halogen (LSZH)
Cable shape	Round
Conductor material	Copper
Cabling technology	10GBase-T
Ethernet interface type	10 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	500 MHz
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) type supported	PoE+
Molded cable boot	Yes
Plug and Play	Yes
Country of origin	China
Certificates	
Compliance certificates	REACH, RoHS
Weight & dimensions	
Outer diameter	6 mm
Weight	186 g
Packaging content	
Quantity per pack	1 pc(s)

Packaging data	
Package depth	175 mm
Package height	275 mm
Package weight	196 g
Logistics data	
Harmonized System (HS) code	8544421900
Master (outer) case width	400 mm
Master (outer) case length	300 mm
Master (outer) case gross weight	9.8 kg
Master (outer) case height	300 mm
Products per master (outer) case	50 pc(s)
Technical details	
Sustainability compliance	Yes

Dokumentai ir vaizdo įrašai

> [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt